



HEVI™

2026



WATERFOWL	3-8
UPLAND	9-12
TURKEY	13-16
PREDATOR	17-18

OUR MISSION

We all appreciate the beauty of a morning in the blind, the cackle of a rooster and the sound of whistling wings. But here at HEVI, we're about results. Pellets that penetrate deeper, hit harder and kill at longer distances. Patterns that fill the sky—and limits. We're about knocking down birds with shotshells made right here in the USA. And whether you chase waterfowl or upland birds, turkeys or predators, or all of the above, you'll find the perfect load for how you hunt with HEVI.

[SHOP NOW](#)



HEVI MERCHANDISE

Tell the world what kind of hunter you are without saying a word. We now offer a wide selection of HEVI apparel and gear that looks as good as you shoot. Go to heviammo.com to start your order.



At HEVI, we rely on tungsten and bismuth to make you the best waterfowl loads on the planet. The current world supply is making it increasingly difficult to secure these metals. When you see "Limited Supply" next to an item in this catalog, we may be prioritizing production of a few key loads in that family to make our shot supply go as far as possible. We appreciate your patience!



TUNGSTEN



WATERFOWL

HEVI-XII®
100% 12 g/cc
Tungsten



TURKEY

HEVI-18®
100% 18 g/cc
TSS



TURKEY

MAGNUM BLEND®
100% 12 g/cc
Tungsten
(3 shot sizes)



TURKEY

HEVI-13®
100% 12 g/cc
Tungsten



PREDATOR

"DEAD COYOTE!"®
100% 12 g/cc
Pressed Tungsten

BISMUTH



WATERFOWL

UPLAND

TURKEY

HEVI-BISMUTH™
100% 9.6 g/cc
Bismuth

HEVI-HITTER™



WATERFOWL

HEVI-HITTER
80% Steel
20% 12 g/cc Tungsten
(Both materials are the
same shot size)

HEVI-HAMMER®



WATERFOWL

HEVI-HAMMER
80% Steel
20% 9.6 g/cc Bismuth
(Both materials are the
same shot size)

HEVI-STEEL®



WATERFOWL

UPLAND


**HEVI-STEEL, HEVI-TEAL
& HEVI-STEEL UPLAND**
7.8 g/cc
100% Steel

HEVI PRODUCTS ARE ALL NONTOXIC

Material/Shot Sizes	9	8	7.5	7	6	5	4	3	2	1	B	BB	BBB	T	4B	1B	00B	000B
Steel	815	573	487	422	316	243	191	153	125	103	83	72	61	52	30	15	11	9
Bismuth	663	466	396	325	259	199	157	129	106	85	69	58	50	42	25	12	9	7.4
Lead	585	409	345	299	232	172	136	109	90	73	60	50	43	37	21	11	8	6.2
12.0 Tungsten	537	377	327	280	210	162	127	102	83	67	57	47	40	34	19	10	11	6.5
TSS	362	251	214	185	138	106	83	67	54	45	37	31	27	23	13	7	5	4
"Dead Coyote!"	Numbers indicate pellet count per ounce and colors represent similar down range energy												42	25	12	9		



DEATH IS IN THE AIR





HEVI-XII

Pack in with HEVI-XII® and come out carrying extra weight. Loaded with our original 12 g/cc tungsten that's 55 percent denser than steel, these loads double the downrange energy, hitting birds harder from a longer distance. This means you can drop three shot sizes for the same lethality and still put 28 percent more pellets on target.

GAUGE	LENGTH	SHOT	LOAD	FPS	SKU
12	3	2	1 3/8	1400	HS51212
12	3	4	1 3/8	1400	HS51214
12	3	6	1 3/8	1400	HS51216
20	3	2	1 1/4	1350	HS52002
20	3	4	1 1/4	1350	HS52004
20	3	6	1 1/4	1350	HS52006
28	3	4	1	1350	HS52814
28	3	6	1	1350	HS52816
.410	3	5	1/2	1250	HS54115
.410	3	7	1/2	1250	HS54117

SHOT DENSITY: 12 G/CC



LEXIE BROOKS

HEVI Ambassador

HEVI-BISMUTH

Step up your game when you get into the blind with ammunition that works as hard as you do.

HEVI-Bismuth™ is 22 percent denser than steel, which lets you drop a shot size from your go-to steel payload yet deliver the same duck-dropping lethality. Pushed at blistering velocities, the payloads provide performance that fills limits, and they're safe to shoot in modern and classic shotguns.




GAUGE	LENGTH	SHOT	LOAD	FPS	SKU
12	3 1/2	2	1 1/2	1500	HS14502
12	3 1/2	4	1 1/2	1500	HS14504
12	3	2	1 3/8	1450	HS14002
12	3	4	1 3/8	1450	HS14004
12	3	6	1 3/8	1450	HS14006
12	2 3/4	2	1 1/4	1450	HS14702
12	2 3/4	4	1 1/4	1450	HS14704
12	2 3/4	6	1 1/4	1450	HS14706
16	2 3/4	2	1 1/8	1350	HS16702
16	2 3/4	4	1 1/8	1350	HS16704
16	2 3/4	6	1 1/8	1350	HS16706
20	3	2	1 1/8	1400	HS17002

SHOT DENSITY: 9.6 G/CC

HEVI-HITTER

Balance the sheer power of tungsten with the patterning and practicality of steel to deliver better lethality on ducks and geese. HEVI-Hitter™ devotes 20 percent of its payload steel shot. This carefully engineered blend brings out the best in both materials, offering a large, effective pattern at close and moderate targets, as well as the pellet count, power and density needed to drop distant birds.



ALL-SEASON RELIABILITY

Temperature-stable powder and primer

80% PRECISION STEEL

Better coverage and more hits inside moderate ranges

HEVI WAD

Maximizes the performance of both materials


TUNGSTEN PELLETS

100 percent nontoxic

GAUGE	LENGTH	SHOT	LOAD	FPS	SKU
12	3	BB	1 1/4	1500	HS28288
12	3	2	1 1/4	1500	HS28022
12	3	3	1 1/4	1500	HS28033
12	3	4	1 1/4	1500	HS28044
16	2 3/4	2	1	1350	HS29162
16	2 3/4	4	1	1350	HS29164
20	3	2	7/8	1450	HS29022
20	3	3	7/8	1450	HS29033
20	3	4	7/8	1450	HS29044
28	3	2	3/4	1450	HS28282
28	3	4	3/4	1450	HS28284

SHOT DENSITY: TUNGSTEN 12 G/CC LAYERED OVER STEEL 7.8 G/CC

BEAU BROOKS
HEVI Ambassador



HEVI-HAMMER

Combine the power of bismuth with the economy of steel to take home more ducks and geese. We devote 20 percent of the HEVI-Hammer® payload to 9.6 g/cc HEVI-Bismuth™ pellets, which we layer over the remaining steel shot to extend effective range and tighten patterns.



GAUGE	LENGTH	SHOT SIZE	LOAD	FPS	SKU
12	3 1/2	BB	1 1/2	1500	HS28388
12	3 1/2	2	1 1/2	1500	HS28302
12	3 1/2	4	1 1/2	1500	HS28304
12	3	BB	1 1/4	1500	HS28088
12	3	2	1 1/4	1500	HS28002
12	3	2	1 1/4	1500	HS28102*
12	3	3	1 1/4	1500	HS28003
12	3	3	1 1/4	1500	HS28103*
12	3	4	1 1/4	1500	HS28004
20	3	2	1	1350	HS29002
20	3	3	1	1350	HS29003

*100-packs

SHOT DENSITY: BISMUTH 9.6 G/CC LAYERED OVER STEEL 7.8 G/CC

HEVI-STEEL

Sometimes speed is everything. Our first all-steel shotshell, HEVI-Steel® is pushed at higher velocities than competing loads. That speed boost delivers more energy downrange and makes it easier to connect on ducks and geese. Layered loads offer a great balance of power and pellet counts for steel shooters. Combined with our best-in-class wad, HEVI-Steel provides more knockdown power.



GAUGE	LENGTH	SHOT	LOAD	FPS	SKU
12	2 3/4	2	1 1/8	1500	HS61222
12	2 3/4	3	1 1/8	1500	HS61223
12	2 3/4	4	1 1/8	1500	HS61224
12	3	2,4	1 3/8	1500	HS60024
12	3	1	1 1/4	1500	HS60001
12	3	2	1 1/4	1500	HS60002
12	3	2	1 1/4	1500	HS60102*
12	3	3	1 1/4	1500	HS60003
12	3	3	1 1/4	1500	HS60103*
12	3	4	1 1/4	1500	HS60004
12	3	BB	1 1/4	1500	HS60088
12	3 1/2	1	1 3/8	1550	HS65001
12	3 1/2	2	1 3/8	1550	HS65002
12	3 1/2	3	1 3/8	1550	HS65003

*100-PACKS

GAUGE	LENGTH	SHOT	LOAD	FPS	SKU
12	3 1/2	4	1 3/8	1550	HS65004
12	3 1/2	BB	1 3/8	1550	HS65088
12	3 1/2	BBB	1 3/8	1550	HS65888
16	2 3/4	2	15/16	1400	HS61602
16	2 3/4	4	15/16	1400	HS61604
16	2 3/4	6	15/16	1400	HS61606
20	3	1	7/8	1400	HS62001
20	3	2	7/8	1400	HS62002
20	3	2	7/8	1400	HS62102*
20	3	3	7/8	1400	HS62003
20	3	3	7/8	1400	HS62103*
20	3	2,4	1	1500	HS62024
20	3	2,4	1	1500	HS620288
20	3	3,5	1	1500	HS62035
28	2 3/4	4	5/8	1350	HS62804

SHOT DENSITY: 7.8 G/CC

HEVI-TEAL


Anyone who's ever gone to the plug without touching a feather on a hard-crossing teal can appreciate a velocity advantage, and HEVI-Teal offers one. Its all-steel payload leaves the muzzle at significantly higher speeds than competitors' loads. Besides reducing how much you have to lead birds, this velocity delivers more energy downrange. Combine that with a best-in-class wad and precision manufacturing techniques, and you get more lethality.



GAUGE	LENGTH	SHOT	LOAD	FPS	SKU
12	2 3/4	6	1 1/8	1500	HS61226
12	3	6	1 1/4	1500	HS60006
20	3	6	7/8	1400	HS62006

SHOT DENSITY: TUNGSTEN 12 G/CC LAYERED OVER STEEL 7.8 G/CC

FLIGHTS GROUNDED






HEVI-BISMUTH

Even the odds against pheasants, grouse and other hard-flushing upland birds. HEVI-Bismuth™ Upland payloads are 22 percent denser than steel to deliver more pellets on target and maximum knockdown power. They meet nontoxic requirements and are safe for fixed-choke barrels and modern and classic shotguns.



GAUGE	LENGTH	SHOT	LOAD	FPS	SKU
12	2 3/4	5	1 1/4	1400	HS14715
12	2 3/4	3	1 1/4	1400	HS14713
16	2 3/4	5	1 1/8	1325	HS16715
16	2 3/4	3	1 1/8	1325	HS16713
20	2 3/4	5	1	1300	HS17715
20	2 3/4	3	1	1300	HS17713
.410	3	5	9/16	1300	HS19715

SHOT DENSITY: 9.6 G/CC



ALL-SEASON RELIABILITY

Hotter primer
Clean-burning propellant

BISMUTH PELLETS

20 percent high-density HEVI-Bismuth™
pellets with a 39 percent range
advantage over steel



HEVI-HAMMER

Put more birds in your vest with the power and patterns of HEVI-Hammer® Upland. We devote 20 percent of the payload to high-density HEVI-Bismuth™, and layer those pellets over precision steel shot. The bismuth packs nearly 39 percent more power than steel at 40 yards, which means you can drop a shot size from your go-to steel load.



GAUGE	LENGTH	SHOT	LOAD	FPS	SKU
12	2 3/4	5	1 1/4	1350	HS29105
12	2 3/4	3	1 1/4	1350	HS29103
12	3	5	1 1/8	1350	HS29125
12	3	3	1 3/8	1350	HS29113
20	2 3/4	5	7/8	1325	HS29205
20	2 3/4	5	7/8	1325	HS29225
20	2 3/4	3	7/8	1325	HS29203
20	3	3	1	1325	HS29213

SHOT DENSITY: BISMUTH 9.6 G/CC LAYERED OVER STEEL 7.8 G/CC

HEVI**UPLAND**

HEVI-STEEL


When a dove races across a field or a covey of quail erupts at your feet, speed matters. That's why we push HEVI-Steel Upland faster than competing steel loads. The velocity boost makes it easier to connect on hard-flying birds and delivers more energy on impact. Aided by our best-in-class wad and precision manufacturing techniques, HEVI-Steel Upland hits hard every time.



GAUGE	LENGTH	SHOT	LOAD	FPS	SKU
12	2 3/4	7	1	1350	HS61227
12	2 3/4	6	1	1350	HS61266
12	2 3/4	3	1 1/8	1350	HS61233
12	2 3/4	5	1 1/8	1350	HS61225
20	2 3/4	6	3/4	1325	HS62026
20	2 3/4	7	3/4	1325	HS62027

SHOT DENSITY: 7.8 G/CC

FROM STRUFTER TO DEAD WEIGHT





HEVI-18

Never let a hung-up gobbler keep you from notching your tag. HEVI-18® TSS Turkey uses high-density 18 g/cc pellets and our friction-reducing spherical buffer to extend effective range beyond what's ever been possible. Pushed at high velocities, TSS pellets carry more energy farther downrange, allowing hunters to drop three shot sizes from their go-to lead payloads and get higher pellet counts and denser patterns. Now available in blended loads that combine equal portions by weight of 7, 8 and 9 shot for balanced patterns that offer long-range power and high pellet counts.

GAUGE	LENGTH	SHOT	LOAD	FPS	SKU
12	3	7	2	1250	HS4007
12	3	9	2	1250	HS4009
12	3 1/2	7	2 1/4	1250	HS4507
12	3 1/2	9	2 1/4	1250	HS4509
20	2 3/4	9	1 1/4	1200	HS7109
20	3	7	1 1/2	1250	HS7007
20	3	9	1 1/2	1250	HS7009
28	2 3/4	9	1 1/16	1200	HS7259
28	2 3/4	7	1 1/16	1200	HS7257
28	3	7	1 1/4	1200	HS7287
28	3	9	1 1/4	1200	HS7289
.410	3	7	13/16	1090	HS1007
.410	3	9	13/16	1090	HS1009

SHOT DENSITY: 18 G/CC



HEVI-13®

This gobbler-getter is loaded with HEVI-Shot 12 g/cc tungsten to offer 20 percent more effective range and energy than lead turkey payloads. The high-density material also yields higher pellet counts for better pattern density and an unprecedented number of lethal hits on target.

GAUGE	LENGTH	SHOT	LOAD	FPS	SKU
12	3	2	6	1090	HS43026
12	3	2	7	1090	HS43027
20	3	1 1/4	6	1090	HS306
20	3	1 1/4	7	1090	HS307

SHOT DENSITY: 12 G/CC

MAGNUM BLEND

Mix it up to take more longbeards down. Magnum Blend® combines No. 5, 6 and 7 shot cast from 12 g/cc tungsten. The heavy, high-density payloads offer as many as 448 pellets in a single 12-gauge 3-inch shell, and those shot carry far more energy than lead, extending effective range and improving pattern density. Ounce for ounce, dollar for dollar, this is the most lethal turkey load on the market.



GAUGE	LENGTH	SHOT	LOAD	FPS	SKU
10	3 1/2	5,6,7	2 3/8	1200	HS13567
12	3	5,6,7	2	1200	HS41255
12	3 1/2	5,6,7	2 1/4	1200	HS41205
20	3	5,6,7	1 1/4	1200	HS567
28	2 3/4	5,6,7	15/16	1200	HS28340
28	3	5,6,7	1	1300	HS28567

SHOT DENSITY: 12 G/CC

HEVI-BISMUTH

Nontoxic for the planet. Lethal for toms. With a blend of 4 and 5 shot made with 9.6 g/cc HEVI-Bismuth™, you get blistering speed and 22 percent more energy compared to steel. Our HEVI wad puts more of those pellets on gobblers, and the reliable primer and propellant deliver in any weather.



GAUGE	LENGTH	SHOT	LOAD	FPS	SKU
12	3	1 3/4	4, 5	1300	HSBT412045
20	3	1 1/4	4, 5	1300	HSBT420045



SHOT DENSITY: TUNGSTEN 12 G/CC LAYERED OVER STEEL 7.8 G/CC

PUT DOGS
IN THE
DIRT





“DEAD COYOTE!”

Pulling coyotes into shotgun range isn't easy, so when you finally get one to commit, close the deal with the power and patterns of “Dead Coyote!”®. Its 12 g/cc pressed tungsten pellets are frangible, non-sparking and produce more downrange energy than any other predator shell for lethal performance out to 70 yards.

GAUGE	LENGTH	SHOT	LOAD	FPS	SKU
12	3	00B	1 3/8	1350	HS42213
12	3	T	1 1/2	1300	HS43030
12	3 1/2	T	1 5/8	1350	HS43035

SHOT DENSITY: 12 G/CC

AT HEVI, IT'S OUR COMMITMENT TO YOU AND THE FUTURE OF HUNTING THAT FEEDS
OUR DRIVE TO CONTINUOUSLY INNOVATE AND ELEVATE YOUR IN-FIELD EXPERIENCES.

STAY CONNECTED HEVI NATION – FOLLOW OUR JOURNEY ONLINE AT:

 HEVISHOTAMMO
 HEVISHOTAMMO

 HEVISHOTAMMO
 HEVISHOTAMMO

 HEVISHOTAMMO
 HEVISHOT

SIGN UP FOR OUR NEWSLETTER AT HEVIAMMO.COM.

LOADED IN  THE U.S.A.



LEARN MORE AT HEVIAMMO.COM

