

LEAD-FREE BIG GAME AMMUNITION



POWER-SHOK COPPER

- Copper-alloy construction
- Hollow-point design expands consistently
- Accurate, reliable performance
- Large wound channels and efficient energy transfer to the target
- Lead-free bullet
- Quality brass, propellant and primers



PART NO.	DESCRIPTION
24385LFA	243 WIN 85GR POWER-SHOK COPPER
270130LFA	270 WIN 130GR POWER-SHOK COPPER
300BLK120LFA	300 BLK 120GR POWER-SHOK COPPER
308150LFA	308 WIN 150GR POWER-SHOK COPPER
3006150LFA	30-06 SPRG 150GR POWER-SHOK COPPER
300W180LFA	300 WIN MAG 180GR POWER-SHOK COPPER
300WSM180LFA	300 WSM 180GR POWER-SHOK COPPER

TOP SELLER




BARNES TSX

This proven all-copper hollow point groups tightly at long range and delivers consistent, large-diameter expansion. The monolithic design retains nearly 100 percent of its weight on impact to penetrate deep, and its grooved shank minimizes barrel fouling and improves accuracy.

FEATURES & BENEFITS

- One-piece copper construction
- Deep hollow-point tip
- Grooved bullet shank improves accuracy


1 retention
consistent expansion



P223S	223 REM, 55 GRAIN, BARNES TRIPLE-SHOCK X BULLET (TSX), 3200 FPS
P224VLKBTX1	224 VALKYRIE, 78 GRAIN, BARNES TRIPLE-SHOCK X BULLET (TSX), 2850 FPS
P243K	243 WIN, 85 GRAIN, BARNES TRIPLE-SHOCK X BULLET (TSX), 3200 FPS
P2506H	25-06 REM, 100 GRAIN, BARNES TRIPLE-SHOCK X BULLET (TSX), 3210 FPS
NEW P6555SWTSX	6.5X55 SWEDISH, 130 GRAIN, BARNES TRIPLE-SHOCK X BULLET (TSX), 2550 FPS
P270L	270 WIN, 130 GRAIN, BARNES TRIPLE-SHOCK X BULLET (TSX), 3060 FPS
P65CRDBTSX1	6.5 CREEDMOOR, 130 GRAIN, BARNES TRIPLE-SHOCK X BULLET (TSX), 2825 FPS
P708C	7MM-08 REM, 140 GRAIN, BARNES TRIPLE-SHOCK X BULLET (TSX), 2820 FPS
NEW P764BTSX	7X64 BRENNKE, 150 GRAIN, BARNES TRIPLE-SHOCK X BULLET (TSX), 2650 FPS
P3030G	30-30 WIN, 150 GRAIN, BARNES TRIPLE-SHOCK X BULLET (TSX), 2220 FPS
P7RN	7MM REM MAG, 160 GRAIN, BARNES TRIPLE-SHOCK X BULLET (TSX), 2940 FPS
P308V	308 WIN, 150 GRAIN, BARNES TRIPLE-SHOCK X BULLET (TSX), 2820 FPS
P308H	308 WIN, 165 GRAIN, BARNES TRIPLE-SHOCK X BULLET (TSX), 2650 FPS
P3006AF	30-06 SPRINGFIELD, 165 GRAIN, BARNES TRIPLE-SHOCK X BULLET (TSX), 2800 FPS
P3006AE	30-06 SPRINGFIELD, 180 GRAIN, BARNES TRIPLE-SHOCK X BULLET (TSX), 2700 FPS
P300WSMG	300 WSM, 165 GRAIN, BARNES TRIPLE-SHOCK X BULLET (TSX), 3130 FPS
P300WSMF	300 WSM, 180 GRAIN, BARNES TRIPLE-SHOCK X BULLET (TSX), 2980 FPS
P300WR	300 WIN MAG, 165 GRAIN, BARNES TRIPLE-SHOCK X BULLET (TSX), 3050 FPS
P300WP	300 WIN MAG, 180 GRAIN, BARNES TRIPLE-SHOCK X BULLET (TSX), 3050 FPS
NEW P9362TSX	9.3X62, 250 GRAIN, BARNES TRIPLE-SHOCK X BULLET (TSX), 2820 FPS

BARNES LRX

- All-copper construction
- Sleek profile and precision heel radius
- Grooving decreases fouling and improves accuracy
- Re-engineered nose cavity provides full expansion and deep penetration at close and extended distances
- Doppler radar-optimized bullet profile for low drag and top accuracy at extended distance
- Polymer tip boosts B.C. and helps initiate rapid expansion




NEW	P65CRDLRX1	6.5 CREEDMOOR, 127 GRAIN
NEW	P65PRCLRX1	6.5 PRC 127 GRAIN
NEW	P7RLRX2	7MM REM MAGNUM, 145 GRAIN
NEW	P280AILRX1	280 ACKLEY IMPROVED, 145 GRAIN
NEW	P7PRCLRX1	7MM PRC, 168 GRAIN
NEW	P308LRX1	308 WIN, 175 GRAIN
NEW	P300WLRX2	300 WIN MAGNUM, 200 GRAIN

Trophy Copper

- Copper bullet construction provides up to 99 percent weight retention for the deepest penetration in an expanding bullet
- Tipped bullet cavity is optimized for expansion across a broad velocity range
- Grooved bullet shank for increased accuracy across a wide range of firearms
- Polymer tip and boat-tail design increase the ballistic coefficient for higher downrange velocity, energy and less bullet drop




P223TC1	223 Rem.	55 grain
P243TC1	243 Win.	85 grain
P2506TC1	25-06 Rem.	100 grain
P65CRDTC1	6.5 Creedmoor	120 grain
P65PRCTC1	6.5 PRC	120 grain
P270TC1	270 Win.	130 grain
P270WSMTC1	270 WSM	130 grain
P708TC2	7mm-08 Rem.	140 grain
P280AITC1	280 Ackley Imp.	140 grain
P7RTC2	7mm Rem. Mag	140 grain
P7RTC3	7mm Rem. Mag	150 grain
P3030TC1	30-30 Win.	150 grain
P308TC3	308 Win.	165 grain
P308TC2	308 Win.	150 grain
P3006TC1	30-06 Sprg.	180 grain
P300WTC2	300 Win. Magnum	165 grain
P300WTC1	300 Win. Magnum	180 grain
P300WSMTC2	300 WSM	165 grain
P300WSMTC1	300 WSM	180 grain
P338FTC2	338 Federal	200 grain
P338LTC1	338 Lapua Mag	250 grain



EURO COPPER

- Monolithic copper alloy construction
- Extremely high weight retention for deep penetration
- Precision polymer tip for reliable expansion from low to high velocities
- Perfect projectile for short to medium distances
- Grooving on the bullet shank improves accuracy and reduces fouling
- Legal for use in areas that require lead-free ammunition

PART NO.	DESCRIPTION	UPC
P243CXI	243 Win. 80 grain Copper	604544 68991 4
P65CRDCXI	6.5 Creedmoor 120 grain Copper	604544 68996 9
P764CXI	7x64 Brenneke 150 grain Copper	604544 68997 6
P6555SWDCXI	6.5x55 Swedish 140 grain Copper	604544 68995 2
P308CXI	308 Win. 150 grain Copper	604544 68994 5
P3006CXI	30-06 Sprg. 165 grain Copper	604544 68992 1
P300WCXI	300 Win. Mag 165 grain Copper	604544 68993 8
P857JSCXI	8x57 JS 180 grain Copper	604544 68998 3
P9362CXI	9.3x62mm 250 grain Copper	604544 68999 0



CORE-LOKT COPPER



FEATURES

1 ACCURATE MONOMETAL BULLET

All-copper projectile made from high-strength alloy like classic Core-Lokt's proven jacket

2 CORE-LOKT PERFORMANCE

Precision hollow point for consistent deadly expansion and performance on-game, across a wide range of velocities

3 TRUSTED QUALITY COMPONENTS

Reliable brass, propellants and precise loading techniques for consistency shot-after-shot


4 LEAD-FREE PRIMER

Lead-free primer provides consistent ignition



INDEX NO.	ORDER NO.	BULLET STYLE	BULLET WEIGHT (GR.)	CARTRIDGE	MUZZLE VELOCITY (FPS)	BALLISTIC COEFFICIENT	ROUNDS/BOX
RCC30062	R27853	Core-Lokt Copper	150	30-06 SPRG	2910	.278	20
RCC308W1	R27854	Core-Lokt Copper	150	308 WIN	2820	.278	20
RCC270W2	R27855	Core-Lokt Copper	130	270 WIN	3060	.287	20
RCC243W1	R27856	Core-Lokt Copper	85	243 WIN	3200	.233	20
RCC300AAC1	R27857	Core-Lokt Copper	120	300 AAC BLACKOUT	2100	.251	20
RCC300W2	R27858	Core-Lokt Copper	180	300 WIN MAG	2850	.330	20

PREMIER CUT



- 1 ACCURATE TIPPED TECHNOLOGY**
Precision tip gives high ballistic coefficient and flat trajectories with instant expansion and energy transfer on impact
- 2 TOUGH COPPER ALLOY BULLET**
Cuts through medium to large game with 95% weight retention. Precision grooves maximize aerodynamic performance
- 3 PREMIER COMPONENTS**
Highest-quality Remington brass, propellants and precise loading
- 4 NEW PRC AMMUNITION AVAILABLE**
All your favorite classic cartridges plus 6.5 PRC, 7 PRC and 300 PRC



INDEX NO.	ORDER NO.	BULLET STYLE	BULLET WEIGHT (GR.)	CARTRIDGE
RCT65CR	R22334	Copper Tipped	120	6.5 Creedmoor
RCT65PRC	R22335	Copper Tipped	130	6.5 PRC
RCT270W2	R22337	Copper Tipped	140	270 Win
RCT7M081	R22339	Copper Tipped	140	7mm-08 Rem
RCT7MMB	R22341	Copper Tipped	150	7mm Rem Mag
RCT7MMPRC	R22342	Copper Tipped	160	7mm PRC
RCT3006B	R22343	Copper Tipped	150	30-06 Sprg
RCT308WB	R22344	Copper Tipped	150	308 Win
RCT300WC	R22345	Copper Tipped	180	300 Win Mag

BEST



GOOD