

Remington®

REMINGTON AMMUNITION

360®
BUCKHAMMER



Remington Ammunition
2592 Arkansas Hwy. 15 N
Lonoke, AR 72086
1-800-243-9700
www.remington.com

©2022 Remington Ammunition

CATALOG 2023

CATALOG 2023

CATALOG 2023

INTRODUCING 360 BUCKHAMMER 3
NEW PRODUCTS..... 5

AMMUNITION

RIFLE..... 9
HAMMERING WITH 360 BUCKHAMMER BY CRAIG BODDINGTON..... 13
SHOTSHELL..... 37
INSIDE THE FACTORY..... 57
HANDGUN..... 69
RIMFIRE..... 83

ACCESSORIES..... 89

LICENSED PRODUCTS..... 101

SPECIFICATIONS 107



ICONIC AMERICAN IMPACT.

INTRODUCING REMINGTON'S NEWEST CARTRIDGE



From the humble origins of a father and his sons forging rifle barrels by hand in upstate New York, Remington grew to become the free world's largest producer of American arms and ammunition.

During more than two centuries as a company, Remington served the needs of the shooter, the hunter and the self-




360 BHMR Project Lead, Remington Engineer Rick Buckmaster.

defender by manufacturing more new and innovative firearms and ammunition than any other company.

Pioneering advancements in propellants, projectiles, manufacturing methods, firearm technology and metallurgy, the engineers at Remington developed hosts of new cartridges that have long since become household names, recognized by everyone that has ever pulled a trigger.

American manufacturing ingenuity produced the speedy 17 Remington Fireball, the powerful 44 Remington Magnum, the iconic 223 Remington, the classic 7mm Remington Magnum, and many more. We embraced good ideas wherever they came from and brought experimental wildcat rounds to the public. Many of these cartridges, like the 300 AAC Blackout, the 257 Roberts, and the 35 Whelen may not bear the Remington name, but each holds a piece of our legend.



We've never been content to rest on our laurels.

CONTINUING THE LEGACY

In keeping with this tradition of innovation, we are proud to introduce the latest revolutionary new cartridge from the engineers at Remington, 360 Buckhammer.

A groundbreaking straight wall cartridge, 360 Buckhammer is optimized for lever-action rifles.

accurate and deadly out to 200 yards or more, 360 BHMR is the knock-down, drag-out lever gun leader in straight wall performance. Delivering flat trajectories and more bone-busting



energy and velocity than all the rest, 360 Buckhammer is every deer-flattening advantage you need.


STRAIGHT UP BETTER

360 Buckhammer is the ultimate straight-wall deer hunting cartridge.

Proudly Made in the USA by American Workers, 360 Buckhammer ammunition will be available for your next deer season and offered in the Deadliest Mushroom in the Woods, Core-Lokt.

Remington's investment in innovation continues to grow. We'll continue to extend our Iconic American Impact far into the future.

Only from the engineers at Remington.



Learn more at Remington.com



High speed videography of ballistic gel testing shows buck-busting energy transfer and wound channel expansion ideal for big game. Core-Lokt 200 Grain 360 Buckhammer Shown.



NEW FOR 2023



NEW FOR 2023



NEW CARTRIDGE

360 BUCKHAMMER

STRAIGHT UP BETTER.

360 Buckhammer is the straight wall cartridge that flattens them all. Optimized for lever-action firearms, new 360 BHMR delivers flat trajectories and more bone-busting energy and velocity out to 200 yards than the rest. Accurate, deadly and fun to shoot, it's every deer-flattening advantage you need. See page 11 for more information.



NEW

PREMIER BISMUTH

FEATURING HEVI BISMUTH

HEAVYWEIGHT SUPREMACY.

Hit harder and farther on any flying feathered game. Ultra-dense HEVI BISMUTH outperforms steel hands down, and is equally effective on upland game or waterfowl. Available in multiple 12, 20, 16, 28GA and 410 loads, page 39.



NEW

PREMIER LONG RANGE

BIG GREEN VS. BIG GAME. NO CONTEST.

Speer's groundbreaking Impact bullet is finally available in loaded ammunition. Tough, bonded construction, high B.C., and match-grade accuracy means Premier Long Range is ready to perform at any distance you are. Available in a wide variety of big game calibers. For more info, see page 15.



NEW

GUN CLUB CURE

EVERY SHOT MATTERS.

Gun Club Cure trap, skeet and sporting clay loads are destined to help real families nationwide. Featuring a unique new hull, available in two 12GA loads including Low-Recoil. Page 65.



NEW FOR 2023



NEW
GOLDEN SABER
10MM

THE MIGHTY 10MM.

Trusted Golden Saber technology, now in 10MM AUTO. Available in top-tier Golden Saber Bonded, or in new Golden Saber Defense and Golden Saber Defense Compact. Pages 71-74.



NEW
REMINGTON RANGE

Shot to shot consistency and the latest technology at the right price. Range-ready FMJ loads in multiple grain weight options in 9MM or 40S&W. Page 79.



NEW
32 H&R MAGNUM
REVOLVER REVOLUTION.

Offered by Remington for the first time, 32 H&R Magnum is available in High Terminal Performance Handgun or classic Performance Wheelgun. Pages 75, 80.

NEW FOR 2023

308 WIN



6.5 PRC



35 REMINGTON 150GR



NEW
22LR
BULK PACKS

225 ROUNDS.

22 Viper, 22 Yellow Jacket and Subsonic 22LR all now available in economical 225-round bulk packs. Pages 86-87.



NEW
OLD FAVORITES,
NEW LOADS

EXPANDED REMINGTON RIFLE OFFERINGS.

Check out new offerings in Premier Match page 22, Core-Lokt page 25, and High Performance Rifle page 27.



NEW 15-ROUND CARTONS
EXPRESS
BUCKSHOT

Run and gun with more buckshot. Express Buckshot now available in 15-round as well as standard 5-round packs. Page 54.

RIFLE



CORE-LOKT TIPPED



NEW PREMIER LONG RANGE

- NEW 360 BUCKHAMMER** 11
- HAMMERING WITH 360 BUCKHAMMER BY CRAIG BODDINGTON**..... 13
- NEW PREMIER LONG RANGE**..... 15
- CORE-LOKT TIPPED**..... 17
- PREMIER SCIROCCO BONDED** 19
- PREMIER ACCUTIP** 21
- PREMIER MATCH** 22
- HYPERSONIC BONDED**..... 23
- CORE-LOKT**..... 25
- HIGH PERFORMANCE RIFLE** 27
- SUBSONIC RIFLE** 29
- ULTIMATE DEFENSE RIFLE**..... 30
- UMC RIFLE** 31
- CORE-LOKT MANAGED-RECOIL** 32
- MUZZLELOADER** 33
- RELOADING COMPONENTS**..... 35

NEW CARTRIDGE

360 BUCKHAMMER

STRAIGHT UP BETTER.

360 Buckhammer is the straight wall cartridge that flattens them all. A knock-down, drag-out, lever gun leader in straight-wall cartridge performance, 360 BHMR delivers flat trajectories and more bone-busting energy and velocity out to 200 yards than the rest. Accurate, deadly, and fun to shoot, it's every deer-flattening advantage you need.



THE STRAIGHT WALL CARTRIDGE THAT FLATTENS THEM ALL.

- ▲ GROUNDBREAKING NEW CALIBER 360 BUCKHAMMER
- ▲ ULTIMATE STRAIGHT WALL CARTRIDGE OPTIMIZED FOR LEVER ACTION RIFLES
- ▲ ACCURATE AT 200+ YARDS
- ▲ EASY TO SHOOT, LOW RECOIL
- ▲ VELOCITY, ENERGY AND DROP SIMILAR TO 30-30 WIN
- ▲ MUZZLE VELOCITY 2,200 - 2,400 FPS+
- ▲ MASSIVE .358 DIAMETER BULLETS DELIVER DEADLY RESULTS ON-GAME
- ▲ AVAILABLE IN TRUSTED CORE-LOKT; 180GR OR 200GR





CORE-LOKT

THE DEADLIEST MUSHROOM IN THE WOODS.™

High-weight retention & controlled expansion Core-Lokt bullets make 360 BHMR deadly on game and a perfect fit in your deer camp.



200 Grain Core-Lokt shown.



1 ULTIMATE STRAIGHT WALL CARTRIDGE

360 BHMR optimized for lever action rifles. Easy to shoot, low recoil

2 REMINGTON COMPONENTS

Reliable Remington brass, propellant, & primers carefully loaded

3 CORE-LOKT PERFORMANCE

High-weight retention, controlled expansion .358 diameter Core-Lokt bullet

4 ACCURATE 200 YARDS+

Velocity, energy and drop ideal across common hunting ranges



360 BUCKHAMMER RIFLES FROM HENRY

Headquartered in Wisconsin, Henry Repeating Arms is the country's leading lever action manufacturer. Learn more at HenryUSA.com.



MORE 360 BHMR INFO



360 BUCKHAMMER				
CARTRIDGE	INDEX NO.	ORDER NO.	BULLET WT. (GR.)	BULLET TYPE
NEW 360 BHMR Core-Lokt	R360BH4	R27742	180	SP
NEW 360 BHMR Core-Lokt	R360BH2	R27743	200	SP

KEY: SP = Soft Point
For more information on ballistics, see pages 108-114.

HAMMERING WITH 360 BUCKHAMMER

BY CRAIG BODDINGTON



A brand-new Remington cartridge ideal for tubular-magazine lever-actions? Sure, why not? 'Case you haven't noticed, the classic lever-action is red-hot right now. Old geezers like me love 'em because we grew up with them. For us, the lever-action is as American as apple pie and John Wayne. Younger generations are also discovering the lever gun. For us, it's a familiar old friend. For them, it's a different platform.

We can all agree the almost exclusively American lever-action is just plain cool, a healthy taste of nostalgia combined with sheer

practicality: Perfectly balanced, fast-handling, fast-shooting, easy to carry. What the tubular-magazine lever-action is not is a long-range platform. So what? Despite the current rage for long-range shooting, few deer hunters need to reach past 200 yards. And, no different than a century ago, most whitetail deer are taken at half that distance or less.

That's exactly what Remington's 360 Buckhammer is all about, dropping

deer-sized game with authority at short to medium range. That was the reputation—and reality—of the 35 Remington, introduced in 1906. For

more than a century the 35 Remington has been a legendary thick-cover cartridge, revered for black bear, deer, and hogs at shorter ranges. The 360 Buckhammer shares the 35 Remington's .358-inch bullet, and its initial load features a hard-hitting 200-grain Core-Lokt round-nose.

On the surface, we could say 360 Buckhammer is an updated version of the great 35 Remington, although faster, delivering more energy and shooting a bit flatter. That would be true enough, and strong praise, but missing important differences. Buckhammer's parent case is another deer-hunting legend, the 30-30 Win, so it's a rimmed cartridge ideal for traditional

tubular-magazine lever-actions (and readily adaptable to single-shot platforms). Far more importantly, it uses the case necked up to 358, blown out with body taper and shoulder removed, and shortened to 1.8 inches. This makes 360 Buckhammer legal in states and jurisdictions allowing "straight wall" centerfire rifle cartridges in lieu of shotguns. It does not significantly increase range. The whole point of straight-wall legislation is to increase accuracy and efficiency

over shotgun slugs, without increasing risk from stray projectiles. Buckhammer is thus designed to be, and is, an effective, hard-hitting 200-yard deer cartridge, whether you hunt in a straight-wall state or not. In the autumn of '22 I had the chance to take Texas whitetails and feral hogs with one of the first rifles chambered to Buckhammer, a short, sweet-handling, walnut and blued steel Henry with 20-inch barrel. Shots were from 40 to 140 yards, and both species properly hammered.

In tubular-magazine rifles, blunt-nosed bullets are essential, reducing aerodynamics and downrange ballistics. In today's thirst for increased range, many of us have forgotten that round-nosed bullets hit harder, transferring more energy on impact and dealing a noticeably heavier initial blow. On both hogs and whitetails, I was impressed by the 360 Buckhammer and its traditional Core-Lokt bullet. With surprisingly mild recoil and report, Buckhammer is a pleasure to shoot, despite being a good-sized hammer!

Without question, hunters living in straight-wall states will welcome Buckhammer. So will many others, wherever they live, who are just now learning—or re-learning—the joys of a classic lever-action. Although brand-new, Buckhammer is a traditional cartridge, perfect for big deer in big woods.



NEW

PREMIER LONG RANGE

FEATURING
SPEER IMPACT

Exclusively from Remington, Speer's® groundbreaking Impact™ bullet is now available for the first time in loaded ammunition. Tough bonded construction penetrates deep on closer targets, while the patented Slipstream™ tip initiates expansion at velocities 200 fps lower than standard polymer tips.

The projectile's sleek construction and tightly-tapered hybrid ogive combined with its boat-tail ensures a high ballistic coefficient and all the advantages of match-grade accuracy.

Combined with carefully selected brass, propellants and primers, Premier Long Range is ready to perform at any distance that you are. This is Remington's highest quality big game ammunition yet.



1 SLIPSTREAM TIP

High ballistic coefficient for flat trajectory and ultimate accuracy. Helps initiate expansion at wide range of velocities

2 SPEER IMPACT BULLET

Chemically fused bullet jacket and core designed to stop separation and impart maximum retained energy and weight impact on target

3 AERODYNAMIC DESIGN

Boat tail bullet and rear adjusted center of gravity assists truer flight and long range accuracy

4 PREMIER COMPONENTS

Highest-quality Remington primers and propellants chosen in combination for ultimate performance across spectrum of environmental conditions

PREMIER LONG RANGE

CARTRIDGE	INDEX NO.	ORDER NO.	BULLET WT. (GR.)	BULLET TYPE
NEW 6.5 Creedmoor	RLR65CR	21341	140	SI
NEW 270 WIN	RLR270W	21342	150	SI
NEW 7mm REM MAG	RLR7MMR	21343	175	SI
NEW 30-06 Sprg	RLR3006	21344	172	SI
NEW 308 WIN	RLR308W	21345	172	SI
NEW 300 WIN MAG	RLR300W	21346	190	SI
NEW 300 REM Ultra Mag	RLR300UM	21347	190	SI

KEY: SI = Speer Impact
For more information on ballistics, see pages 108-114.



High speed videography time lapse of ballistic gel testing shows extreme energy transfer and wound channel expansion. Premier Long Range 172 grain .308 Win @ 200 yards shown.


BIG GREEN VS BIG GAME. NO CONTEST.



CORE-LOKT TIPPED

MILLIONS OF MUSHROOMS SOLD.

New Core-Lokt® Tipped is officially hunter-approved. Thousands of rounds in development and now millions of rounds sold, Core-Lokt Tipped lives up to the legacy of The Deadliest Mushroom. Offering proven on-game performance with improved accuracy and long-range potential, it's fair to say the legend just became more legendary. Core-Lokt Tipped combines truer flight, flatter trajectory and devastating terminal energy. No wonder it's the consistent choice of serious hunters all over the world.



- 1 BIG GREEN POLYMER TIP**
Improves long-range ballistics, in-flight accuracy, and initiates rapid expansion
- 2 PROVEN CORE-LOKT JACKET**
Tuned for optimal performance on big game
- 3 MATCH-GRADE ACCURACY**
Rear-adjusted center of gravity and boat-tail design maximize accuracy
- 4 PREMIER BRASS**
Factory fresh brass built to the highest of standards
- 5 ADVANCED PROPELLANTS**
Carefully chosen propellants built for a clean burn and utmost accuracy
- 6 REMINGTON PRIMER**
Steady and consistent ignition when it matters most



CORE-LOKT TIPPED				
CARTRIDGE	INDEX NO.	ORDER NO.	BULLET WT. (GR.)	BULLET TYPE
243 Win	RT243WA	29015	95	CLT
6.5 Creedmoor	RT65CR1	29017	129	CLT
270 Win	RT270WA	29019	130	CLT
280 Remington	RT280RA	29020	140	CLT
7mm Remington Mag	RT7MMRB	29021	150	CLT
30-06 Sprg	RT3006A	29027	150	CLT
30-06 Sprg	RT3006B	29035	165	CLT
30-06 Sprg	RT3006C	29037	180	CLT
300 Win Mag	RT300WC	29038	180	CLT
308 Win	RT308WA	29039	150	CLT
308 Win	RT308WB	29044	165	CLT
308 Win	RT308WC	29041	180	CLT
300 WSM	RT300WSM1	29043	150	CLT

KEY: CLT = Core-Lokt Tipped
For more information on ballistics, see pages 108-114.



180 grain Core-Lokt Tipped bullet shot from 300 Win. Mag. shows extreme energy transfer and optimal penetration at 200 yards.

THE DEADLIEST MUSHROOM. NOW EVEN DEADLIER.



PREMIER SCIROCCO BONDED

A TIPPED BULLET THAT POWERS THROUGH.

Big game beware because the remarkable Scirocco bullet by Swift™ is coming for you. As the leader in bonded, tipped bullets, Scirocco delivers the highest ballistic coefficient, the flattest trajectory, and unsurpassed accuracy. Combined with maximum retained energy and superior weight retention, it's unquestionably the toughest polymer-tipped bullet on bucks, bulls, and boars at all ranges. Powerful performance. Ultimate accuracy. Big game won't know what hit 'em.

EXPANDS RELIABLY OVER A WIDE RANGE OF TERMINAL VELOCITIES.



1 PRECISION-SHAPED POLYMER TIP

Expands reliably for lethal results

2 JACKET AND CORE LOCKED TOGETHER

Features the most advanced bonded bullet design

3 SLEEK PROFILE

Delivers optimal flight and trajectory

4 BOAT TAIL BASE DESIGN

Retains initial velocity and energy downrange



180 grain Premier Scirocco Bonded bullet shot from 300 Win. Mag. showing devastating expansion and energy transfer on gel.

PREMIER SCIROCCO BONDED				
CARTRIDGE	INDEX NO.	ORDER NO.	BULLET WT. (GR.)	BULLET TYPE
243 Win	PRSC243WA	29320	90	SSB
6.5 Creedmoor	PRSC65CR	29344	130	SSB
270 Win	PRSC270WA	29322	130	SSB
7mm Remington Magnum	PRSC7MMB	29316	150	SSB
7mm Remington Ultra Magnum	PRSC7UM1	29335	150	SSB
30-06 Sprg	PRSC3006B	29318	150	SSB
30-06 Sprg	PRSC3006C	29328	180	SSB
300 WSM	PRSC300WSMB	29345	180	SSB
300 Win Mag	PRSC300WB	29330	180	SSB
300 Remington Ultra Magnum	PR300UM5	27950	150	SSB
300 Remington Ultra Magnum	PR300UM3	27936	180	SSB
308 Win	PRSC308WB	29332	165	SSB

KEY: SSB = Swift Scirocco Bonded
For more information on ballistics, see pages 108-114.

ALL BIG GAME. ANY RANGE.



PREMIER ACCUTIP-V AND PREMIER ACCUTIP

PRECISELY THE VARMINT HUNTING BULLET OF YOUR DREAMS.

Optimized to deliver superior match-grade accuracy and maximum downrange energy whenever, and wherever you need it, every time. Specially engineered for varmint hunting, AccuTip-V bullets are optimized for match-grade accuracy and explosive on-game results. At impact, its gold polymer tip is driven rearward causing the thin jacket and soft lead core to fragment violently.

The AccuTip slug we load in the 450 Bushmaster has proven itself on big game time and time again as one of the most accurate and lethal big game projectiles ever conceived.



450 Bushmaster Premier Accutip



ONE SERIOUSLY LETHAL HUNTING TIP.

- 1 POLYMER TIP**
Eliminates nose deformation
- 2 SLEEK PROFILE**
Optimizes ballistic coefficient for flat trajectory
- 3 JACKET THICKNESS**
Tuned for violent terminal performance
- 4 PREMIER COMPONENTS**

PREMIER ACCUTIP-V & PREMIER ACCUTIP

CARTRIDGE	INDEX NO.	ORDER NO.	BULLET WT. (GR.)	BULLET TYPE
17 Remington	PRA17RA	29162	20	ATV
17 Remington Fireball	PRA17FB	29165	20	ATV
204 Ruger	PRA204A	29218	32	ATV
204 Ruger	PRA204B	29220	40	ATV, BT
22 Hornet	PRA22HNA	29154	35	ATV
221 Remington Fireball	PRA221FB	29172	50	ATV, BT
222 Remington	PRA222RB	29174	50	ATV, BT
223 Remington	PRA223RB	29184	50	ATV, BT
223 Remington	PRA223RC	29192	55	AT
224 Valkyrie	PRA224VLK	21202	60	ATV
22-250 Remington	PRA225ORB	29186	50	ATV, BT
243 Win	PRA243WB	29194	75	ATV, BT
450 Bushmaster	PRA450B1	27943	260	AT

KEY: AT = Accutip ATV = Accutip-V BT = Boat-Tail
For more information on ballistics, see pages 108-114.



NEW 6.5 PRC

PREMIER MATCH

ENGINEERED FOR ACCURACY. BUILT FOR PERFORMANCE.

When it comes to match-grade accuracy, Premier Match ammunition not only sets the bar, it is the bar. Using only match-grade bullets, Premier Match employs special loading practices to ensure top-tier performance and unequalled accuracy with every shot. Whether used for competition shooting or taking your range day to the next level, Premier Match is guaranteed to deliver like no other ammunition.

PREMIER MATCH

CARTRIDGE	INDEX NO.	ORDER NO.	BULLET WT. (GR.)	BULLET TYPE
NEW 6mm Creedmoor	RM6CRD	20001	107	MatchKing BTHP
223 Remington	R223R6	22106	62	HP, Match
223 Remington	RM223R1	27680	69	MatchKing BTHP
NEW 223 Remington	RM223R2R	27682	52	OTM BTHP
223 Remington	RM223R3	27686	77	MatchKing BTHP
224 Valkyrie	RM224VLK	21201	90	MatchKing
260 Remington	RM260R1	26852	140	Berger OTM
6.5 Creedmoor	RM65CRD	27661	140	MatchKing BTHP
NEW 6.5 PRC	RM65PRC01L	27673	140	Berger OTM
6.5 Grendel	RM65GDL	21205	130	Berger OTM
6.8mm Remington SPC	RM68R1	27676	115	MatchKing BTHP
300 AAC Blackout	RM300AAC6	21503	125	MatchKing
308 Win	RM308W7	21485	168	MatchKing BTHP
308 Win	RM308W8	21486	175	MatchKing BTHP



5 SHOTS, .6" @ 100 YDS.

308 Win, 168-gr. Premier Match

For more information on ballistics, see pages 108-114.




HYPERSONIC BONDED

THE BIGGER THE GAME THE BETTER.

It's fair to say that HyperSonic Bonded is among the most lethal big-game ammunition ever engineered. With hypercharged velocities up to 200 fps faster than standard loads, it delivers laser-flat trajectories and higher downrange energies. Simply put, it plows through hide, meat, and bone like a hot knife through butter. By pairing Remington's advanced bonded bullet design of Core-Lokt® Ultra Bonded with a proprietary blend of propellants, HyperSonic Bonded is a high velocity load that's second to none.

GAME-CHANGING VELOCITY MEETS GAME-LEVELING BULLET DESIGN.



HYPERSONIC BONDED				
CARTRIDGE	INDEX NO.	ORDER NO.	BULLET WT. (GR.)	BULLET TYPE
223 Remington	PRH223R4	28919	62	Core-Lokt Ultra Bonded, PSP
243 Win	PRH243WC	28923	100	Core-Lokt Ultra Bonded, PSP
270 Win	PRH270WB	28955	140	Core-Lokt Ultra Bonded, PSP
30-06 Sprg	PRH3006A	29007	150	Core-Lokt Ultra Bonded, PSP
30-06 Sprg	PRH3006C	29009	180	Core-Lokt Ultra Bonded, PSP
300 Win Mag	PRH300WC	29033	180	Core-Lokt Ultra Bonded, PSP
308 Win	PRH308WA	29119	150	Core-Lokt Ultra Bonded, PSP

For more information on ballistics, see pages 108-114.




OUR DEADLY FORMULA:

- 1 CORE-LOKT ULTRA BONDED DESIGN**
Carries boosted velocities and energies through heavy bone with absolute lethal command
- 2 PROPRIETARY PROPELLANT BLEND**
Delivers velocities up to 200 fps faster than standard loads
- 3 REMINGTON PREMIER BRASS**
First-quality brass for consistent feeding and extraction



HyperSonic Bonded shows ultimate energy transfer on gel. 180 grain Core-Lokt Ultra Bonded bullet shot from 300 Win. Mag. shown.

HYPERSONIC BONDED PERFORMANCE.



35 REMINGTON 150GR IS BACK!

CORE-LOKT

RULING THE WOODS FOR OVER 80 YEARS.

Since 1939, Core-Lokt has been a whitetail's worst enemy. As the original controlled expansion bullet, it's filled more tags on more continents than any other load. Available in more caliber and cartridge options than any other deer ammo, Core-Lokt's tapered copper jacket is locked to a solid lead core to deliver massive 2X expansion, weight retention and consistent on-game results. Core-Lokt. The buck stops here.

1 SOFT POINT SHAPE

Provides broad frontal area for high-energy impact and rapid expansion

2 SPITZER PROFILE


For improved velocity and flatter trajectory

3 BULLET CORE "LOKT" IN PLACE

To provide deep penetration

4 JACKET DESIGNED FOR PROGRESSIVE, RELIABLE EXPANSION

To almost twice the original diameter



MAKING THE MUSHROOM

From the brass cup that becomes Core-Lokt's famous jacket to the carefully cut lead that becomes the hard-driving core, Core-Lokt's proven performance has been proudly made in Remington's Lonoke, Arkansas factory since 1969.



CORE-LOKT TIPPED

THE DEADLIEST MUSHROOM'S GONE LONG RANGE. PAGES 17-18

CORE-LOKT POINTED SOFT POINT

CARTRIDGE	INDEX NO.	ORDER NO.	BULLET WT. (GR.)	BULLET TYPE
223 Remington	R223R8	22111	62	PSP, UB
6mm Creedmoor	R6CM01	29049	100	PSP
6mm Remington	R6MM4	29051	100	PSP
243 Win	R243W3	27802	100	PSP
25-06 Remington	R25062	21507	100	PSP
25-06 Remington	R25063	21515	120	PSP
25-20 Win	R25202	28364	86	PSP
250 Sav	R250SV	29077	100	PSP
6.5 x 55 Swedish	R65SWE1	29140	140	PSP
6.5 Creedmoor	R65CR1	27657	140	PSP
260 Remington	R260R1	21292	140	PSP
264 Win Mag	R264W2	29493	140	PSP
270 Win	R270W1	21325	100	PSP
270 Win	R260W2	27808	130	PSP
270 WSM	R270WSM1	28940	130	PSP
280 Remington	R280R3	28313	140	PSP
280 Remington	R280R1	29069	150	PSP
7mm-08 Remington	R7M081	21337	140	PSP
7mm Remington Magnum	R7MM4	28821	140	PSP
7mm Remington Magnum	R7MM2	29487	150	PSP
7mm Remington Magnum	R7MM3	27814	175	PSP
7mm Mauser (7x57)	R7MSR1	29031	140	PSP
7mm Remington SA UM	PR7SM2	27874	150	PSP
7mm Remington UM	R7RUM01	27759	150	PSP
7 x 64 Brenneke	R7X641	29130	140	PSP
30-40 Krag	R30402	28345	180	PSP
30-06 Sprg	R30061	21401	125	PSP
30-06 Sprg	R30062	27826	150	PSP
30-06 Sprg	R3006B	21415	165	PSP
30-06 Sprg	R30065	27828	180	PSP
300 Savage	R30SV2	21465	150	PSP
300 Win Mag	R300W1	29495	150	PSP
300 Win Mag	R300W2	29497	180	PSP
450 Bushmaster	R450B1	27941	260	PSP
300 WSM	R300WSM1	29489	150	PSP
308 Win	R308W1	27842	150	PSP
308 Win	R308W3	21479	180	PSP
300 Weatherby Mag	R300WB1	29279	180	PSP

CORE-LOKT POINTED SOFT POINT

CARTRIDGE	INDEX NO.	ORDER NO.	BULLET WT. (GR.)	BULLET TYPE
7.62 x 39mm	R762391	29125	125	PSP
300 Remington SA UM	PR300SM2	27954	165	PSP
300 Remington UM	R300RUM01	27641	180	PSP
30 Remington AR	R30RAR2	29485	150	PSP
338 Remington UM	PR338UM2	27942	250	PSP
338 Win Mag	R338W1	22189	225	PSP
338 Win Mag	R338W2	22191	250	PSP
NEW 35 Remington	R35R1	21491	150	PSP
35 Whelen	R35WH1	21495	200	PSP

CORE-LOKT SOFT POINT

CARTRIDGE	INDEX NO.	ORDER NO.	BULLET WT. (GR.)	BULLET TYPE
257 Roberts	R257	28335	117	SP
270 Win	R270W4	27810	150	SP
280 Remington	R280R2	28417	165	SP
30 Carbine	R30CAR	28322	110	SP
30-30 Win	R30301	27818	150	SP
30-30 Win	R30302	27820	170	SP
30-30 Win	RL30301	27644	125	SP
30-06 Sprg	R30064	21407	180	SP
30-06 Sprg	R30067	27830	220	SP
308 Marlin Express	R308ME1	27848	150	SP
308 Win	R308W2	27844	180	SP
303 British	R303B1	21471	180	SP
32 Win Special	R32WS2	21489	170	SP
35 Remington	R35R2	27852	200	SP
350 Legend	R350L1	20012	180	SP
444 Marlin	R444M	29475	240	SP
45-70 Gov (FP)	R4570G1	21459	405	SP
45-70 Gov (RP)	R4570G	29473	405	SP

CORE-LOKT HOLLOW POINT

CARTRIDGE	INDEX NO.	ORDER NO.	BULLET WT. (GR.)	BULLET TYPE
30-30 Win	R30303	21395	170	HP

KEY: PSP = Pointed Soft Point SP = Soft Point UB = Ultra Bonded HP = Hollow Point SA = Short Action UM = Ultra Magnum FP = Full Pressure RP = Reduced Pressure For more information on ballistics, see pages 108-114.

AIM FOR A HIGHER STANDARD OF PERFORMANCE.

NEW 308 WIN

HIGH PERFORMANCE RIFLE

A BULLET FOR EVERY PASSION.

Assembled with high quality components honed to ultra-tight tolerances, our High Performance Rifle series more than lives up to its name. And it's available in a wide range of calibers, bullet weights and styles. In the field, forest or at the range, there's a Remington High Performance Rifle round tailor-made to match any pursuit and honor Remington's proud heritage of innovative rifle ammunition.



HIGH PERFORMANCE RIFLE

CARTRIDGE	INDEX NO.	ORDER NO.	WT. (GR.)	BULLET TYPE
17 Remington	R17R2	28460	25	HP
22 Hornet	R22HN1	28376	45	PSP
220 Swift	R220S1	21297	50	PSP
222 Remington	R222R1	21303	50	PSP
223 Remington	R223R1	28399	55	PSP
22-250 Remington	R22501	21311	55	PSP
243 Win	R243W1	27800	80	PSP
6.5 Creedmoor	R65CR2	27671	140	BTHP
6.5 Grendel	R65GR1	27649	120	BTHP
32-20 Win	R32201	28410	100	Lead
35 Whelen	R35WH3	21499	250	PSP
NEW 308 Win	R308W4	R21473	180	PSP
375 H&H Mag	R375M1	29097	270	SP
375 Remington Ultra Mag	PR375UM2	29340	270	SP
45-70 Govt (Full Pressure)	R4570L1	21463	300	SJHP

HIGH PERFORMANCE OPTIONS.

High Performance Rifle's unique lineup of projectiles fits all your needs from range day to opening day. Whether you're shooting steel or bringing home dinner, High Performance Rifle gives you the right ammo option.



KEY: BTHP = Boat-Tail Hollow Point SJHP = Semi-Jacketed Hollow Point
 PSP = Pointed Soft Point SP = Soft Point HP = Hollow Point
 For more information on ballistics, see pages 108-114.



SUBSONIC RIFLE

BREAKTHROUGH ACCURACY THAT NEVER BREAKS THE SOUND BARRIER.

Remington's Subsonic load is engineered for optimal performance when paired with a suppressor. Loaded with premier components under stringent quality controls, this load delivers consistent, subsonic velocity to prevent supersonic cracks. Bullets in full profile jacketed and open-tip flat base eliminate lead buildup in suppressor ports.



LEGAL TO OWN A SUPPRESSOR

ILLEGAL TO OWN A SUPPRESSOR


R LEGAL TO HUNT WITH A SUPPRESSOR

DISCLAIMER: INDIVIDUAL STATE LAWS WILL VARY. PLEASE CONSULT A LAWYER BEFORE ATTEMPTING TO PURCHASE A SUPPRESSOR. THIS GRAPHIC SHOULD BE USED FOR GENERAL GUIDANCE ONLY. ALWAYS CHECK YOUR LOCAL REGULATIONS.

REMINGTON SUBSONIC

CARTRIDGE	INDEX NO.	ORDER NO.	BULLET WT. (GR.)	BULLET TYPE
300 AAC Blackout	S300AAC4	28430	220	Open Tip, Flat Base

For more information on ballistics, see pages 108-114.



ULTIMATE DEFENSE RIFLE BONDED

MAXIMIZE YOUR MSR'S POWER TO DEFEND.

It's the world-class accuracy and controlled expansion reliability you've come to expect in a bonded bullet, engineered to elevate your personal defense preparedness to a new level. Ultimate Defense Rifle Bonded centerfire bullets are manufactured for ultimate bonded bullet performance, offering absolute reliability and absolute peace of mind everywhere it matters most.



- 1 PROGRESSIVELY TAPERED JACKET
- 2 CORE-LOKT ULTRA BONDED BULLET
- 3 FLASH SUPPRESSED PROPELLANT
- 4 KLEANBORE PRIMING

ULTIMATE DEFENSE RIFLE BONDED

CARTRIDGE	INDEX NO.	ORDER NO.	BULLET WT.(GR.)	BULLET TYPE
223 Remington	RD223R4	22107	62	Core-Lokt Ultra Bonded

For more information on ballistics, see pages 108-114.

UMC RIFLE

AMERICAN PRIDE MEETS REMINGTON PERFORMANCE.

Value-priced for high-volume shooting, our UMC centerfire rifle ammunition is made right here in the USA and available in 10 popular cartridges, including the 308 Win, 300 AAC Blackout and 224 Valkyrie. And for all the varmint hunters out there, the 45 and 50-grain jacketed hollow point loads in 223 Remington and 22-250 Remington are ready to deliver. UMC centerfire is also available in 6.8mm Remington SPC, 30-06 SPRG, 303 British and now the 450 Bushmaster. More value. More performance. It's a win-win situation.



SHOOT MORE WITH REMINGTON. BULK PACKS AVAILABLE

UMC RIFLE

CARTRIDGE	INDEX NO.	ORDER NO.	BULLET WT. (GR.)	ROUNDS PER BOX	BULLET TYPE
223 Remington	L223R3	23711	55	20	FMJ
223 Remington	L223R7	23748	45	20	JHP
223 Remington	L223R8	23812	50	20	JHP
22-250 Remington	L22503	23750	45	20	JHP
22-250 Remington	L22504	23813	50	20	JHP
224 Valkyrie	L224VLK	21203	75	20	FMJ
30 Carbine	L30CR1	23712	110	20	FMJ
6.8mm Remington SPC	L68R2	24035	115	20	FMJ
308 Win	L308W4	23715	150	20	FMJ
30-06 Sprg	L30062	23699	150	20	FMJ
300 AAC Blackout	L300AAC1	21421	120	20	OTFB
300 AAC Blackout	L300AAC2	26854	150	20	FMJ
303 British	L303B1	23701	174	20	FMJ
300 AAC Blackout	L300AAC4	21422	220	20	OTFB
450 Bushmaster	L450BM1	23661	260	20	FMJ
22-250 Remington	L22503B	23769	45	40	JHP
22-250 Remington	L22504B	23783	50	40	JHP
308 Win	L300AAC2V	23971	150	40	FMJ
223 Remington	L223R7V	23906	45	50	JHP
223 Remington	L223R8V	23908	50	50	JHP
223 Remington	L223R3V	23966	55	50	FMJ
223 Remington	L223R3A	23775	45	200	JHP
223 Remington	L223R7A	23683	55	200	FMJ
223 Remington	L223R3BC	23897	55	300	FMJ
300 AAC Blackout		20111	220	300	
300 AAC Blackout		26857	150	300	
300 AAC Blackout		24052	120	300	
223 Remington	L223R3BP	23895	55	1000	FMJ

KEY: FMJ = Full Metal Jacket JHP = Jacketed Hollow Point OTFB = Open Tip Flat Base
For more information on ballistics, see pages 108-114.



CORE-LOKT MANAGED-RECOIL

HALF THE RECOIL. TWICE THE CONFIDENCE.



For years, shooters have wished for and hand loaders have attempted to create a low-recoil load – usually by simply reducing the amount of gunpowder. The results did create low kick, but at the expense of bullet expansion and on-game performance. For many years, the gap between low recoil and effective hunting performance seemed an insurmountable one. That is, until now. Managed-Recoil Centerfire Ammunition delivers trusted Remington field-proven hunting performance out to 200 yards, with half the recoil. How? Through a specialized new bullet developed specifically to perform at lower velocity levels. Managed-Recoil bullets deliver 2x expansion with over 75% weight retention on shots inside of 50 yards and out to 200 yards. The end result is a high-performance bullet optimized to provide the on-game results you've come to expect from Remington Ammunition with just half the felt recoil.

CORE-LOKT MANAGED-RECOIL

CARTRIDGE	INDEX NO.	ORDER NO.	BULLET WT. (GR.)	BULLET TYPE
30-30 Win	RL30301	27644	125	Core-Lokt Soft Point

For more information on ballistics, see pages 108-114.



ULTIMATE MUZZLELOADER PRE-PRIMED CASES

BOLT-ACTION CENTERFIRE SIMPLICITY.

Engineered exclusively for the Ultimate Muzzleloader, pre-primed cases load with the ease of any centerfire. Super-hot magnum primers ignite up to 200-grain loads with near smokeless efficiency. The flash channel stays clean and ready for the next load and there's no need to remove the breech plug for cleanup.



ULTIMATE MUZZLELOADER IGNITION SYSTEM

ORDER NO.	INDEX NO.	DESCRIPTION
24153	RPCUML	Ultimate Muzzleloader Ignition System

REMINGTON PERCUSSION CAPS

ORDER NO.	INDEX NO.	DESCRIPTION
22617	X22617	#10 Percussion Cap
22619	X22619	#11 Percussion Cap



Buy Today on Remington.com



YOUR MUZZLELOADER'S ULTIMATE PERFORMANCE ADVANTAGE.



UNLEASH ULTRA MAGNUM LOADS

With a dependable and durable design made of primed centerfire brass, the UML Ignition System handles 200-grain magnum charges, resulting in lethal 300-yard performance. For maximum burn and efficiency, use up to four (4) Hodgdon® Triple Seven® 50 grain pellets to safely achieve 2,400 fps (muzzle) in the Remington Ultimate Muzzleloader.

Do not load your muzzleloader in a way that is not prescribed by its owner's manual.



MODEL 700 ULTIMATE MUZZLELOADER

Legendary Model 700 bolt-action reliability coupled with Remington's innovative UML Ignition System delivers 300-yard lethal range and precision rivaling most centerfires.



PREMIER ACCUTIP

OUR BEST TIP FOR MUZZLELOADER ACCURACY.

Take muzzleloader accuracy to the next level with 100% copper, Premier AccuTip bullets. The polymer tipped, 50 caliber, 250-grain bullet delivers rapid expansion with 100% weight retention. Designed for use in any 50-caliber muzzleloader.

PREMIER ACCUTIP

CARTRIDGE	INDEX NO.	ORDER NO.	BULLET WT. (GR.)	BULLET TYPE
50 Caliber	RBMLR2A	30610	250	Accutip

For more information on ballistics, see pages 108-114.

RELOADING COMPONENTS

SUPERIORITY DOWNRANGE BEGINS WITH REMINGTON AT YOUR BENCH.

From first-quality brass, to bullets and wads precision-engineered to the highest standards, to the industry's most advanced primers and percussion caps—Remington components give you the edge to develop your best loads for your favorite pursuit. So whether you're at the range, on the sporting clays course or in the field, they just might turn your good day into a perfect one.



BULLETS

Delivering unmatched precision in the most popular bullet styles and weights, ready to be tailored for your favorite pursuits. Remington Bullets. For the hunt, for the range and wherever shot-to-shot consistency matters most.

PISTOL & REVOLVER BULLETS

ORDER NO.	INDEX NO.	CALIBER	NOMINAL BULLET DIAMETER	BULLET WT. (GR.)	BULLET STYLE
23547	RB9MM3	9mm	.355	115	FMJ
23545	RB9MM6	9mm	.355	115	JHP
23549	RB9MM2	9mm	.355	124	FMJ
23551	RB9MM8	9mm	.355	147	JHP
23566	RB380AP	380	.356	95	FMJ
23568	RB38S11	357/38	.357	130	FMJ
23570	RB357M7	357/38	.357	110	SJHP
23572	RB357M1	357/38	.357	125	SJHP
23574	RB357M2	357/38	.357	158	SJHP
23580	RB40SW1	40/10mm	.400	155	JHP
23584	RB40SW3	40/10mm	.400	180	FMJ
23586	RB40SW5	40/10mm	.400	180	FNEB
23582	RB40SW2	40/10mm	.400	180	JHP
23663	RB41MG1	41	.410	200	SJHP
23665	RB44MG6	44	.429	210	SJHP
23667	RB44MG3	44	.429	240	SJHP
23605	RB45AP4	45	.451	230	FMJ
23609	RB45AP7	45	.451	230	JHP

RIFLE BULLETS

ORDER NO.	INDEX NO.	CALIBER	NOMINAL BULLET DIAMETER	BULLET WT. (GR.)	BULLET STYLE
22920	B2432	24/6mm	.243	100	PSPCL
22733	B2571	25	.257	100	PSPCL
22756	B2842	28	.284	150	PSPCL
22788	B3083	30	.308	180	PSPCL
22772	B30301	30	.308	150	SPCL
22958	RB2242	22	.224	50	PSP
22962	RB2244	22	.224	55	FMJ
22960	RB2243	22	.224	55	PSP
22968	RB2247	22	.224	62	HP Match
22930	RB2432	24/6mm	.243	80	PSP
22742	RB682	27/6.8	.277	115	FMJ
22778	RB3085	30	.308	150	FMJ
22814	RB303B	30	.303	180	SPCL
22992	RB4571	45	.457	300	SJHP

BRASS

Its consistency in every dimension translates directly to every target downrange. Choose Remington brass, available in most popular chamberings.



HANDGUN BRASS

ORDER NO.	INDEX NO.	CARTRIDGE
22503	RC357MG	357 Magnum
23202	RC357X	357 Remington Maximum
22522	RC9MM	9mm Luger
22509	RC38AS	38 Super Auto +P
22511	RC38SP	38 Special
22524	RC40SW	40 S&W
22528	RC41RA	41 Remington Magnum
22517	RC44RA	44 Remington Magnum
22519	RC44SW	44 S&W
22495	RC45C	45 Colt
22527	RC45A	45 Auto

RIFLE BRASS

ORDER NO.	INDEX NO.	CARTRIDGE
22422	RC17FB	17 Remington Fireball
22398	RC17R	17 Remington
22414	RC204R	204 Ruger
22400	RC22H	22 Hornet



SHOTSHELL RELOADING

Primer to payload, you won't find more reliable, more consistent, more widely available components in the quantities and offerings you need.

SHOTSHELL WADS - TARGET - POWER PISTON 1-PIECE

ORDER NO.	INDEX NO.	GAUGE / BORE	OUNCES OF SHOT
24342	FIG8S	12 Gauge	1-1/8 oz
24346	TGT12S	12 Gauge	1 oz, 1-1/8 oz
24338	RXP12	12 Gauge	1-1/8 oz
24344	RXP20	20 Gauge	7/8 oz
24362	PT28S	28 Gauge	3/4 oz
24352	SP410	410 Bore	1/2 oz

SHOTSHELL WADS - HUNTING - POWER PISTON 1-PIECE

ORDER NO.	INDEX NO.	GAUGE	OUNCES OF SHOT
26656	SP10	10 Gauge	1-5/8 to 2-1/4 oz
29922	R12L	12 Gauge	1 oz
29924	R12H	12 Gauge	1-1/8 oz
29926	RP12	12 Gauge	1-1/4 oz
29928	SP12	12 Gauge	1-1/4 oz
29934	SP16	16 Gauge	1-1/8 oz
24378	SP20S	20 Gauge	1 oz

RIFLE BRASS (CONT'D)

ORDER NO.	INDEX NO.	CARTRIDGE
22404	RC221FB	221 Fireball
22406	RC222R	222 Remington
22408	RC223R	223 Remington
22410	RC2250R	22-250 Remington
22402	RC220S	220 Swift
23016	RC243W	243 Win
23086	RC6MMR	6mm Remington
23154	RC6MMCM	6mm Creedmoor
23020	RC2506R	25-06 Remington
23018	RC2520W	25-20 Win
23024	RC257R	257 Roberts
23156	RC65CM	6.5 Creedmoor
23062	RC65S	6.5 x 55 Swedisch Mauser
22830	RC260R	260 Remington
23054	RC68SPCR	6.8 Remington SPC
22834	RC270W	270 Win
23226	RC270WSM	270 WSM
22858	RC280R	280 Remington
22860	RC7M08R	7mm-08 Remington
22864	RC7MMG	7mm Remington Magnum
22868	RC7MMRS	7mm Remington Short Action Ultra Magnum
22870	RC7MMRA	7mm Remington Ultra Magnum
23158	RC300AACBLK	300 AAC Blackout
23032	RC3030W	30-30 Win
23036	RC3006	30-06 Sprg
23204	RC300WSM	300 WSM
22876	RC300WM	300 Win Mag
22872	RC300RS	300 Remington Short Action Ultra Magnum
22874	RC300RA	300 Remington Ultra Magnum
22878	RC303B	303 British
23044	RC308W	308 Win
22880	RC8MSR	8mm Mauser
22882	RC8MMG	8mm Remington Magnum
22896	RC338WM	338 Win Mag
22898	RC338RA	338 Remington Ultra Magnum
22902	RC350R	350 Remington Magnum
22904	RC35WH	35 Whelen
22910	RC375H	375 H&H Magnum
22912	RC375RA	375 Remington Ultra Magnum
23066	RC4440W	44-40 Win
23069	RC4570G	45-70 Govt.

CENTERFIRE PRIMERS

ORDER NO.	INDEX NO.	CARTRIDGE
22600	X22600	1-1/2 Small Pistol Primer
22604	X22604	2-1/2 Large Pistol Primer
22626	X22626	5-1/2 Small Pistol Primer
22606	X22606	6-1/2 Small Rifle Primer
22628	X22628	7-1/2 Small Rifle Primer BR
22608	X22608	9-1/2 Large Rifle Primer
22622	X22622	9-1/2M Magnum Rifle Primer*

SHOTSHELL PRIMERS - TARGET / HUNTING

ORDER NO.	INDEX NO.	DESCRIPTION
22661	209PSTS	209 Premier STS

SHOTSHELL PRIMERS - CLAMPACK

ORDER NO.	INDEX NO.	DESCRIPTION
23996	209PSTSB	209 Premier STS Clampack
23990	209ML	Muzzleloading 209 Primer

* Use to reload Ultimate Muzzleloader cases
For the complete line of components, please visit www.remington.com/ammunition/components

SHOTSHELL



- NEW PREMIER BISMUTH** 39
- WINGMASTER HD** 41
- HYPERSONIC STEEL** 43
- NITRO-STEEL / SPORTSMAN HI-SPEED STEEL** 45
- PREMIER TSS** 47
- PREMIER MAGNUM TURKEY / NITRO TURKEY** 49
- PHEASANT & GAME LOADS** 51
- BUCKSHOT** 53
- PREMIER ACCUTIP SLUG** 55
- INSIDE THE FACTORY** 57
- PREMIER STS** 59
- TEAM REMINGTON** 61
- PREMIER NITRO** 63
- NEW GUN CLUB** 65
- AMERICAN CLAY & FIELD** 67
- PETERS PREMIER BLUE PAPER** 68

NEW
GUN CLUB CURE

WINGMASTER HD

NEW
PREMIER BISMUTH

FEATURING HEVI BISMUTH

AMERICAN ALLOYED BISMUTH.

Out-performing steel, HEVI BISMUTH's dense shot flies farther with more retained energy, giving you deadly performance at greater distances. HEVI BISMUTH's density makes smaller shot sizes viable, resulting in more pellets per payload, more shot on target, and more mornings hitting your bag limit.

Rolling prairie or flooded timber, Premier Bismuth is equally effective on upland game and waterfowl, all at a price point that won't break the bank.

ALLOYED AND CAST IN THE USA
BY AMERICAN WORKERS



▲ **22% MORE DENSE THAN STEEL**

Hits just like lead with 44% more downrange energy

▲ **ALL-SEASON LOAD**

For waterfowl or upland hunts

▲ **HEVI BISMUTH**

Proudly alloyed and cast in the USA

▲ **SAFE TO SHOOT IN VINTAGE BARRELS**

▲ **NON-LEAD**

9.64g/cc density



Premier Bismuth hits with about the same density as lead.

PREMIER BISMUTH						
INDEX NO.	ORDER NO.	GAUGE	LENGTH (IN.)	VELOCITY (FPS)	OUNCES OF SHOT	SHOT SIZE
NEW RHB12S2	R20503	12	2-3/4"	1400	1-1/4	2
NEW RHB12S5	R20505	12	2-3/4"	1400	1-1/4	5
NEW RHB12M2	R20500	12	3"	1400	1-3/8	2
NEW RHB12M5	R20501	12	3"	1400	1-3/8	5
NEW RHB16M4	R20511	16	2-3/4"	1300	1-1/8	4
NEW RHB20S5	R20509	20	2-3/4"	1300	1	5
NEW RHB20M2	R20507	20	3"	1400	1-1/8	2
NEW RHB20M5	R20508	20	3"	1400	1-1/8	5
NEW RHB28M4	R20513	28	2-3/4"	1250	7/8	4
NEW RHB4104	R20514	410	3"	1200	5/8	4

HEAVYWEIGHT SUPREMACY.



WINGMASTER HD

DEADLY TUNGSTEN BLEND.

Our ammunition experts have brought back Wingmaster HD, the one-stop shop in duck and goose high-density shotshell rounds. Testing proves Wingmaster HD delivers the best combination of pellet energy and pattern density resulting in high pattern energy on target. At 12 g/cc, our tungsten blend is 6% denser than lead and nearly 50% denser than steel. Wingmaster HD features higher retained energy, with uniform, smooth, round pellets for dense and efficient patterns. Expect deeper penetration and more pellets on target. If you want the most balanced tungsten waterfowl shotshell on the market, Wingmaster HD delivers.



▲ **HIGHER RETAINED ENERGY**

Denser than lead with excellent patterns

▲ **ROUND, SMOOTH TRUE-SIZED PELLETS**


Dense, efficient patterns with deep penetration

▲ **DEEPER PENETRATION AND MORE PELLETS ON TARGET**

Equal energy – 3 shot sizes smaller than steel



WINGMASTER HD						
INDEX NO.	ORDER NO.	GAUGE	LENGTH (IN.)	VELOCITY (FPS)	OUNCES OF SHOT	SHOT SIZE
RW12S4	20693	12	2 3/4	1325	1 1/4	4
RW12S6	20695	12	2 3/4	1325	1 1/4	6
RW122	20871	12	3	1450	1 1/4	2
RW124	20873	12	3	1450	1 1/4	4
RW126	20875	12	3	1450	1 1/4	6
RW12M2	20685	12	3	1450	1 3/8	2
RW12M4	20687	12	3	1450	1 3/8	4
RW12M6	20689	12	3	1450	1 3/8	6
RW12HM2	20903	12	3	1300	1 1/2	2
RW12HM4	20905	12	3	1300	1 1/2	4
RW1235MB	20655	12	3 1/2	1300	1 3/4	BB
RW1235M2	20657	12	3 1/2	1300	1 3/4	2
RW1235M4	20659	12	3 1/2	1300	1 3/4	4
RW20M4	20763	20	3	1300	1 1/8	4



Dense patterns. Perfect penetration.

THE OPTIMAL BALANCE OF PELLET ENERGY AND PATTERN DENSITY.





HyperSonic STEEL®

**QUICKER KILLS. FEWER MISSES.
11% SHORTER LEADS.
MORE HEAD & NECK HITS.**

- **HIGH VELOCITY STEEL**
(1450 fps, 1½oz.) @ 40 yds
- **HYPERSONIC STEEL**
(1700 fps, X oz.) @ 40 yds



AT 1,700 FPS, HYPERSONIC STEEL GIVES YOU AN 8" LEAD ADVANTAGE AT 40 YARDS.



- 1 UNEQUALLED LETHALITY**
Engineered to put more pellets in the head and neck
- 2 PREMIER COMPONENTS**
Top-shelf propellants, primers, and Remington-made hulls combine for ultimate waterfowl dependability and speed
- 3 XELERATOR™ WAD TECHNOLOGY**
Remington's proprietary wad helps deliver unprecedented velocity and holds patterns tighter downrange

HYPERSONIC STEEL

THE WORLD'S FASTEST, HARDEST-HITTING STEEL.

It's a simple fact. Most ducks are missed from behind. The good news? The unprecedented velocity of Remington HyperSonic Steel compensates by reducing the required lead by a full body length at 40 yards — on a duck flying at average speed. The end result: more pellets in the head and neck for quicker kills and fewer misses — all without changing the way you shoot. HyperSonic Steel. Taking lethality to deadlier new heights.



HYPERSONIC STEEL

INDEX NO.	ORDER NO.	GAUGE	LENGTH (IN.)	MUZZLE VELOCITY (FPS)	OUNCES OF SHOT	SHOT SIZE
HSS10C	26724	10	3 ½	1500	1 ½	BBB
HSS10B	26726	10	3 ½	1500	1 ½	BB
HSS102	26728	10	3 ½	1500	1 ½	2
HSS12B	26741	12	3	1700	1 ½	BB
HSS122	26743	12	3	1700	1 ½	2
HSS124	26745	12	3	1700	1 ½	4
HSS12MB	26769	12	3	1700	1 ¼	BB
HSS12M1	26771	12	3	1700	1 ¼	1
HSS12M2	26775	12	3	1700	1 ¼	2
HSS12M3	26776	12	3	1700	1 ¼	3
HSS12M4	26777	12	3	1700	1 ¼	4
HSS1235B	26793	12	3 ½	1700	1 ¾	BB
HSS12352	26795	12	3 ½	1700	1 ¾	2
HSS12354	26799	12	3 ½	1700	1 ¾	4
HSS20M2	26823	20	3	1600	7/8	2
HSS20M4	26825	20	3	1600	7/8	4

NITRO-STEEL

**MORE STEEL TO THE BIRDS.
MORE BIRDS TO THE GROUND.**

The steel serious waterfowlers depend on. High-quality, zinc-plated, 100% round pellets fly straight, delivering true close to long-range pattern performance. Plus, Nitro-Steel is fully compatible with aftermarket ported and wad-stripping chokes. It's a proprietary blend of components that produces more dead birds than any other load, year after year.




SPORTSMAN HI-SPEED STEEL LOADS

HIGH VELOCITY, HIGH VALUE.

Economical waterfowl loads for every hunting situation, Sportsman Hi-Speed Steel also doubles as upland loads in lead-free zones and is priced for pre-season practice. With multiple shot sizes available, match your game of choice easily.

NITRO-STEEL						
INDEX NO.	ORDER NO.	GAUGE	LENGTH (IN.)	MUZZLE VELOCITY (FPS)	OUNCES OF SHOT	SHOT SIZE
NS110M2	20853	10	3 1/2	1450	1 1/2	2
NS12HVS4	20803	12	2 3/4	1390	1 1/8	4
NS12SB	20650	12	2 3/4	1275	1 1/4	BB
NS12S2	20654	12	2 3/4	1275	1 1/4	2
NS12S4	20658	12	2 3/4	1275	1 1/4	4
NS12MB	20794	12	3	1450	1 1/4	BB
NS12M1	20796	12	3	1450	1 1/4	1
NS12M2	20798	12	3	1450	1 1/4	2
NS12M3	20800	12	3	1450	1 1/4	3
NS12M4	20802	12	3	1450	1 1/4	4
NS12HMT	20852	12	3	1300	1 3/8	T
NS12HMB	20856	12	3	1300	1 3/8	BB
NS12HM2	20860	12	3	1300	1 3/8	2
NS12HM4	20864	12	3	1300	1 3/8	4
NS11235BB	20837	12	3 1/2	1500	1 1/2	BB
NS112352	20839	12	3 1/2	1500	1 1/2	2
NS16HV2	20941	16	2 3/4	1300	1 5/16	2
NS16HV4	20943	16	2 3/4	1300	1 5/16	4
NS120M4	20769	20	3	1400	1	4



Premier zinc-plated steel pellets, engineered for higher velocity, greater uniformity, straighter flight and tighter patterns.



SPORTSMAN HI-SPEED STEEL						
INDEX NO.	ORDER NO.	GAUGE	LENGTH (IN.)	MUZZLE VELOCITY (FPS)	OUNCES OF SHOT	SHOT SIZE
SSTHV10B	26605	10	3 1/2	1500	1 1/8	BB
SSTHV102	26607	10	3 1/2	1500	1 1/8	2
SST126	20005	12	2 3/4	1365	1	6
SST127	20007	12	2 3/4	1365	1	7
SST12S2	20934	12	2 3/4	1375	1 1/8	2
SST12S4	20936	12	2 3/4	1375	1 1/8	4
SSTHV12HB	20973	12	3	1550	1 1/8	BB
SSTHV12H2	20977	12	3	1550	1 1/8	2
SSTHV12H4	20981	12	3	1550	1 1/8	4
SSTHV12HMB	20987	12	3	1400	1 1/4	BB
SSTHV12HM1	20791	12	3	1400	1 1/4	1
SSTHV12HM2	20989	12	3	1400	1 1/4	2
SSTHV12HM3	20795	12	3	1400	1 1/4	3
SSTHV12HM4	20991	12	3	1400	1 1/4	4
SST12HMB	20900	12	3	1300	1 3/8	BB
SST12HM2	20904	12	3	1300	1 3/8	2
SSTHV1235B	20997	12	3 1/2	1550	1 3/8	BB
SSTHV12352	20999	12	3 1/2	1550	1 3/8	2
SST207	20009	20	2 3/4	1425	3/4	7
SST20M2	20879	20	3	1300	1	2
SST20M4	20881	20	3	1300	1	4

FULL PAYLOADS. FULL PATTERNS. FULL LIMITS.

Pattern from 20 gauge shotshell at 25 yards

Pattern from 20 gauge shotshell at 40 yards



Remington Nitro-Steel

Leading Competitor

Remington Nitro-Steel

Leading Competitor




PREMIER TSS

YOUR DEADLIEST SPRING YET.

Send more big ol' toms to the ground with our Premier TSS Turkey Loads. New ultra-dense Tungsten Super Shot payloads deliver increased lethal range, denser patterns, and more knockdown power. A density of 18 g/cc makes a smaller shot size viable over what you'd choose in lead, with an energy and velocity increase to boot. Every load is tuned for the tightest, most consistent patterns possible. Get ready for the most deadly turkey season of your life.



- ▲ **ULTRA HIGH-DENSITY TUNGSTEN SUPER SHOT**
Flies farther, hits harder, and penetrates deeper
- ▲ **HIGHER ENERGY AND BETTER PATTERNS THAN LEAD**
Provide a greater chance for success in the field
- ▲ **INCREASED PELLET COUNTS AND HITS IN THE KILL ZONE**
Guarantees deadly performance that delivers results




High density Tungsten Super Shot blend penetrates deep and transfers force with tight patterns at extended ranges. Gel block shot shown at 50 yards.

PREMIER TSS

INDEX NO.	ORDER NO.	GAUGE/ BORE	LENGTH (IN.)	MUZZLE VELOCITY (FPS)	OUNCES OF SHOT	SHOT SIZE
TSS1237	28043	12	3	1200	1 ³ / ₄	7
TSS1239	28045	12	3	1200	1 ³ / ₄	9
TSS2037	28063	20	3	1100	1 ¹ / ₂	7
TSS2039	28065	20	3	1100	1 ¹ / ₂	9
TSS41039	28069	410	3	1100	1 ³ / ₁₆	9

STANDARD LEAD LOADS



12 ga / Lead #5



20 ga / Lead #5

REMINGTON PREMIER TSS



12 ga / TSS #9



20 ga / TSS #7

KNOCK THE GOBBLE OUT OF THEM.





PREMIER MAGNUM TURKEY



PREMIER TURKEY TAKEDOWN.

For avid turkey hunters, speed kills. Delivering hard-hitting power to bag any big tom, Premier Magnum Turkey and Premier Magnum Turkey High Velocity loads are loaded with our Power Piston wad and magnum-grade Copper-Lokt shot for dense patterns and deep penetration equaling more birds to the ground.

PREMIER MAGNUM TURKEY						
INDEX NO.	ORDER NO.	GAUGE	LENGTH (IN.)	MUZZLE VELOCITY (FPS)	OUNCES OF SHOT	SHOT SIZE
P10HM4A	24395	10	3 1/2	1210	2 1/4	4
P12XHM4A	R26801	12	3	1175	2	4
P12XHM5A	26803	12	3	1175	2	5
P12XHM6A	26805	12	3	1175	2	6
P1235M4A	26833	12	3 1/2	1150	2 1/4	4
P20XHM6A	26859	20	3	1185	1 1/4	6

PREMIER MAGNUM TURKEY HIGH VELOCITY						
INDEX NO.	ORDER NO.	GAUGE	LENGTH (IN.)	MUZZLE VELOCITY (FPS)	OUNCES OF SHOT	SHOT SIZE
PHV12M4A	28029	12	3	1300	1 3/4	4
PHV12M5A	28031	12	3	1300	1 3/4	5
PHV1235M4A	28039	12	3 1/2	1300	2	4
PHV1235M5A	28041	12	3 1/2	1300	2	5
PHV20M5A	20119	20	3	1300	1 1/8	5



NITRO TURKEY

NITRO TURKEY EXTENDED RANGE BUFFERED MAGNUMS

Extra-hard lead shot meets next-level patterning at a value price. With a super full choke, Nitro Turkey patterns at over 80% in the kill zone.


NITRO TURKEY						
INDEX NO.	ORDER NO.	GAUGE	LENGTH (IN.)	MUZZLE VELOCITY (FPS)	OUNCES OF SHOT	SHOT SIZE
NT12S5	26688	12	3	1210	2 1/4	5
NT12S4	26690	12	3	1210	2 3/4	4
NT12H4	26693	12	3	1210	3	4
NT12H5	26695	12	3 1/2	1300	3	5
NT12H6	26697	12	3 1/2	1300	3	6
NT12354	26710	12	3 1/2	1300	3 1/2	4
NT12355	26708	12	3 1/2	1300	3 1/2	5
NT12356	26712	12	3	1300	3 1/2	6
NT20MS	R26730	20	3 1/2	1185	3	5



NITRO PHEASANT

ROOSTER! HIGH-SPEED UPLAND FURY.

For pattern, energy and performance, nobody beats Nitro Pheasant. It uses the Remington Copper-Lokt copper-plated lead shot with high antimony content – the hardest lead we make for hunting. Hard shot stays rounder for truer flight, tighter patterns and greater penetration. When it comes to bringing down tough birds like pheasants, you need a load that delivers maximum pattern density and lethal energy—you need Nitro Pheasant. Available in high velocity and magnum loads in 12- and 20-gauge.



NITRO PHEASANT						
INDEX NO.	ORDER NO.	GAUGE	LENGTH (IN.)	MUZZLE VELOCITY (FPS)	OUNCES OF SHOT	SHOT SIZE
NP124	28620	12	2 3/4	1400	1 1/4	4
NP125	28622	12	2 3/4	1400	1 1/4	5
NP126	28624	12	2 3/4	1400	1 1/4	6
NP12M4	28632	12	2 3/4	1300	1 3/8	4
NP12M5	28634	12	2 3/4	1300	1 3/8	5
NP12M6	28636	12	2 3/4	1300	1 3/8	6
NP205	28646	20	2 3/4	1300	1	5
NP206	28648	20	2 3/4	1300	1	6
NP20M5	28651	20	3	1185	1 1/4	5
NP20M6	28653	20	3	1185	1 1/4	6



EXPRESS XLR EXTRA LONG RANGE

FASTER. FARTHER.

Simply, the best-balanced, tight patterning upland field loads available. Decades of hunters have come to know and trust Express XLR to knock down the biggest upland game around. The time-proven excellence of the Express XLR (Extra Long Range) line offers 12-gauge to 410 bore and shot sizes ranging from #2 all the way down to #7 1/2, for everything from pheasant and quail to rabbits and squirrels.

EXPRESS XLR EXTRA LONG RANGE						
INDEX NO.	ORDER NO.	GAUGE/ BORE	LENGTH (IN.)	MUZZLE VELOCITY (FPS)	OUNCES OF SHOT	SHOT SIZE
SP122	20143	12	2 3/4	1330	1 1/4	2
SP124	20145	12	2 3/4	1330	1 1/4	4
SP125	20147	12	2 3/4	1330	1 1/4	5
SP126	20149	12	2 3/4	1330	1 1/4	6
SP1275	20151	12	2 3/4	1330	1 1/4	7 1/2
NEHV125	20167	12	2 3/4	1450	1 1/8	5
NEHV126	20168	12	2 3/4	1450	1 1/8	6
NEHV1275	20169	12	2 3/4	1450	1 1/8	7 1/2
SP164	28003	16	2 3/4	1295	1 1/8	4
SP166	28007	16	2 3/4	1295	1 1/8	6
SP1675	28009	16	2 3/4	1295	1 1/8	7 1/2
SP204	20333	20	2 3/4	1220	1	4
SP205	20335	20	2 3/4	1220	1	5
SP206	20337	20	2 3/4	1220	1	6
SP2075	20339	20	2 3/4	1220	1	7 1/2
NEHV206	20181	20	2 3/4	1350	7/8	6
NEHV2075	20183	20	2 3/4	1350	7/8	7 1/2
SP286	28047	28	2 3/4	1295	3/4	6
SP2875	28049	28	2 3/4	1295	3/4	7 1/2
SP4104	20743	410	2 1/2	1250	1/2	4
SP4106	20745	410	2 1/2	1250	1/2	6
SP41075	20747	410	2 1/2	1250	1/2	7 1/2
SP4134	20771	410	3	1135	11/16	4
SP4136	20775	410	3	1135	11/16	6
SP41375	20777	410	3	1135	11/16	7 1/2



PHEASANT LOADS

The high velocity and long-range performance of Remington Pheasant Loads are just right for any pheasant hunting situation. Standard high-brass payloads include 12-, 16-, and 20-gauge.

PHEASANT LOADS						
INDEX NO.	ORDER NO.	GAUGE	LENGTH (IN.)	MUZZLE VELOCITY (FPS)	OUNCES OF SHOT	SHOT SIZE
PL124	20046	12	2 3/4	1330	1 1/4	4
PL125	20024	12	2 3/4	1330	1 1/4	5
PL126	20048	12	2 3/4	1330	1 1/4	6
PL127	20050	12	2 3/4	1330	1 1/4	7 1/2
PL166	20054	16	2 3/4	1295	1 1/8	6
PL204	20058	20	2 3/4	1220	1	4
PL205	20018	20	2 3/4	1220	1	5
PL206	20060	20	2 3/4	1220	1	6



GAME LOADS

Budget-stretching shotshells for a wide variety of hunting. Available in 12-, 16-, 20-gauge and 410 bore.

GAME LOADS						
INDEX NO.	ORDER NO.	GAUGE/ BORE	LENGTH (IN.)	MUZZLE VELOCITY (FPS)	OUNCES OF SHOT	SHOT SIZE
GL126	20028	12	2 3/4	1290	1	6
GL127	20030	12	2 3/4	1290	1	7 1/2
GL128	20032	12	2 3/4	1290	1	8
GL166	20034	16	2 3/4	1200	1	6
GL167	20036	16	2 3/4	1200	1	7 1/2
GL168	20038	16	2 3/4	1200	1	8
GL206	20040	20	2 3/4	1225	7/8	6
GL207	20042	20	2 3/4	1225	7/8	7 1/2
GL208	20044	20	2 3/4	1225	7/8	8
GL4106	20014	410	2 1/2	1200	1/2	6



NITRO MAGNUM EXTENDED RANGE BUFFERED

Equally excellent for bagging upland feathers and fur. Heavy payloads of magnum-grade shot are packed with polymer buffering and enclosed in our Power Piston® one-piece wad to provide dense, even patterns and uniform shot strings.

NITRO MAGNUM EXTENDED RANGE BUFFERED						
INDEX NO.	ORDER NO.	GAUGE	LENGTH (IN.)	MUZZLE VELOCITY (FPS)	OUNCES OF SHOT	SHOT SIZE
NM12S2	26676	12	2 3/4	1260	1 1/2	2
NM12S4	26678	12	2 3/4	1260	1 1/2	4
NM124	26674	12	3	1280	1 3/8	4
NM126	20376	12	3	1280	1 3/8	6
NM12H2	26682	12	3	1210	1 1/8	2
NM12H4	26684	12	3	1210	1 1/8	4
NM12H6	26685	12	3	1210	1 1/8	6
NM20S4	20664	20	2 3/4	1175	1 1/8	4
NM20S6	20666	20	2 3/4	1175	1 1/8	6
NM20H4	20672	20	3	1185	1 1/4	4
NM20H6	20674	20	3	1185	1 1/4	6



HEAVY DOVE LOADS

The hunter's choice for doves and a wide variety of game-bird applications. Available in 12- and 20-gauge with shot sizes of 7 1/2 and 8.

HEAVY DOVE LOADS						
INDEX NO.	ORDER NO.	GAUGE	LENGTH (IN.)	MUZZLE VELOCITY (FPS)	OUNCES OF SHOT	SHOT SIZE
RHD1275	28755	12	2 3/4	1255	1 1/8	7 1/2
RHD128	28757	12	2 3/4	1255	1 1/8	8
RHD2075	28777	20	2 3/4	1165	1	7 1/2
RHD208	28779	20	2 3/4	1165	1	8



ULTIMATE DEFENSE BUCKSHOT

DEFENSE DELIVERED.

Ultimate Defense Buckshot rounds deliver dense, devastating patterns and massive knockdown power when the stakes are at their highest. Short-range patterns in smoothbore barrels are tight and effective for one-shot confidence. Full power 12-gauge, and Managed-Recoil 12- and 20-gauge loads complete this line by offering buckshot products well suited to anyone's desire for maximizing their shotgun's effectiveness against an imminent threat. Our 410 load packs five lead 000 buckshot pellets to maximize effectiveness of the 45/410 revolvers.



ULTIMATE DEFENSE BUCKSHOT						
INDEX NO.	ORDER NO.	GAUGE/BORE	LENGTH (IN.)	MUZZLE VELOCITY (FPS)	OUNCES OF SHOT	SHOT SIZE
12B009HD	20713	12	2 3/4	1325	9 pel	00
12B008RRHD	20711	12	2 3/4	1200	8 pel	00
12HB00HD	20633	12	3	1225	15 pel	00
12HB4HD	20639	12	3	1225	41 pel	4
12BRR4HD	20637	12	2 3/4	1200	21 pel	4
20BRR3HD	20681	20	2 3/4	1140	17 pel	3
410B000HD	20697	410	2 1/2	1225	4 pel	000
413B000HD	20707	410	3	1125	5 pel	000



NEW 15-ROUND PACKS

EXPRESS MAGNUM & EXPRESS BUCKSHOT

BIG BUCK. BIGGER PAYLOAD.

One of the great values in shotgun deer loads. A combination of heavy cushioning behind the shot column and a granulated polymer buffering helps maintain pellet roundness for tight, even patterns. Available in magnum offerings, plus NEW 15-round count packaging.

EXPRESS MAGNUM BUCKSHOT						
INDEX NO.	ORDER NO.	GAUGE	LENGTH (IN.)	MUZZLE VELOCITY (FPS)	OUNCES OF SHOT	SHOT SIZE
12SB00	20632	12	2 3/4	1290	12 pel	00
12HB000	20408	12	3	1225	10 pel	000
12HB00	20636	12	3	1225	15 pel	00
12HB4	20640	12	3	1225	41 pel	4
1235B00	20280	12	3 1/2	1125	18 pel	00

EXPRESS BUCKSHOT						
INDEX NO.	ORDER NO.	GAUGE	LENGTH (IN.)	MUZZLE VELOCITY (FPS)	OUNCES OF SHOT	SHOT SIZE
12B000	20406	12	2 3/4	1325	8 pel	000
12B00	20620	12	2 3/4	1325	9 pel	00
NEW 12B0015B	26876	12	2 3/4	1325	9 pel	00
12B0	20622	12	2 3/4	1275	12 pel	0
12B1	20624	12	2 3/4	1250	16 pel	1
12B4	20626	12	2 3/4	1325	27 pel	4
20B3	20630	20	2 3/4	1220	20 pel	3
NEW 20B315B	26877	20	2 3/4	1220	20 pel	3

BUCKSHOT VALUE PACKS

COMPETITIVE RUN & GUN.

Available in a 25-round box or 100-round sleeve (4 individual boxes), it's simply the best value in buckshot for home defense, tactical shooting or predator hunting. Buckshot value packs are loaded with Remington Express 00 Buckshot, chosen time and again for its tight, consistent patterns. For more confidence per box, choose Remington.



BUCKSHOT VALUE PACKS							
DESCRIPTION	INDEX NO.	ORDER NO.	GAUGE/BORE	LENGTH (IN.)	MUZZLE VELOCITY (FPS)	OUNCES OF SHOT	SHOT SIZE
25 Round Box	12B00A	20411	12	2 3/4	1325	9 pel	00
100 Round Box	12B00B	20413	12	2 3/4	1325	9 pel	00






Buy Today on Remington.com


PREMIER ACCUTIP SABOT SLUG

PUNCHES HUGE HOLES WITH PINPOINT ACCURACY.

It's flattening whitetails and competitors in the tipped-slug market with devastating ferocity. A true masterpiece of aerodynamics delivering tremendous knockdown force to the farthest reaches of rifled shotgun range. Spiral nose cuts and high-strength cartridge-brass jacket come together to create large, perfect mushrooms with over 95 percent weight retention from 5 to 200 yards. Available in 2 3/4" or 3" 12-gauge and 20-gauge.



1,900 FPS FLAT-OUT CRUSHES BIG GAME.



Premier Accutip Slug's devastating impact energy and force transfer shown at 50 yards.

PREMIER ACCUTIP SABOT SLUG													
INDEX NO.	ORDER NO.	GAUGE	LENGTH (IN.)	SLUG (GR.)	VELOCITY (FPS)			ENERGY (FT-LB)			TRAJECTORY (IN.)		
					MUZ.	50 YD.	100 YD.	MUZ.	50 YD.	100 YD.	50 YD.	100 YD.	150 YD.
PRA12	20727	12	2 3/4	385	1850	1611	1401	2925	2218	1677	2.7	3.6	0.0*
PRA12M	20731	12	3	385	1900	1656	1439	3086	2344	1771	2.5	3.4	0.0*
PRA20	20496	20	2 3/4	260	1850	1610	1399	1976	1496	1130	2.7	3.6	0.0*
PRA20M	20498	20	3	260	1900	1655	1438	2084	1581	1193	2.5	3.4	0.0*

* 0.0 indicates yardage at which shotgun was sighted in.



- POWER PORT TIP DELIVERS DRAMATICALLY SUPERIOR ACCURACY**
 - SPIRAL NOSE CUTS CONTROL EXPANSION AT ALL RANGES**
12-gauge: 5-200 yards / 20-gauge: 5-150 yards
 - HIGH WEIGHT RETENTION AT ALL DISTANCES**
98% @ 100 yards for 12-gauge and 20-gauge
 - SLUG JACKET MADE FROM HIGH-STRENGTH CARTRIDGE BRASS**
- ▲ **DESIGNED FOR USE IN FULLY RIFLED BARRELS ONLY**

SLUGGER RIFLED SLUG

Our most popular, accurate, hard-hitting smooth bore slug. Slightly oversized for great smooth-bore shotgun performance, resulting in better sealing against the barrel wall for greater accuracy.



SLUGGER RIFLED SLUG													
INDEX NO.	ORDER NO.	GAUGE	LENGTH (IN.)	SLUG (OZ.)	VELOCITY (FPS)			ENERGY (FT-LB)			TRAJECTORY (IN.)		
					MUZ.	50 YDS.	100 YDS.	MUZ.	50 YDS.	100 YDS.	50 YDS.	100 YDS.	150 YDS.
SP12RS	20300	12	2 3/4	1	1560	1203	1004	2361	1403	976	0.0*	-4.5	--
	26880	12	2 3/4	1	1560								--
S12SRS	20302	12	2 3/4	1	1680	1285	1045	2378	1605	1059	0.0*	-3.8	--
S12MRS	20270	12	3	1	1760	1345	1075	3005	1753	1121	0.0*	-3.4	--
SP16RS	20614	16	2 3/4	4/5	1600	1175	965	1989	1072	724	0.0*	-4.8	--
SP20RS	20616	20	2 3/4	1/8	1580	1240	1034	1513	931	648	0.0*	-4.2	--
SP41RS	20618	410	2 1/2	1/5	1830	1335	1040	654	348	211	0.0*	-3.5	--

* 0.0 indicates yardage at which shotgun was sighted in.

SLUGGER RIFLED SLUG HIGH VELOCITY

This higher velocity slug exits the barrel at 1800 fps, 13% faster than standard 1-oz. slugs. The 7/8-oz. Slugger High Velocity delivers more energy at 50 yards with flatter trajectory on deer than standard 1-oz. slugs. Produced in most popular slug loadings—2 3/4" and 3" 12-gauge and 2 3/4" 20-gauge. Designed for the avid deer hunter using smooth bore guns.



SLUGGER HIGH VELOCITY RIFLED SLUG													
INDEX NO.	ORDER NO.	GAUGE	LENGTH (IN.)	SLUG (OZ.)	VELOCITY (FPS)			ENERGY (FT-LB)			TRAJECTORY (IN.)		
					MUZ.	50 YDS.	100 YDS.	MUZ.	50 YDS.	100 YDS.	50 YDS.	100 YDS.	150 YDS.
SPHV12RS	28600	12	2 3/4	7/8	1800	1252	978	2751	1517	813	0.0*	-4.1	--
SPHV12MRS	28604	12	3	7/8	1875	1302	998	2989	1442	847	0.0*	-3.7	--
SPHV20RS	28608	20	2 3/4	1/2	1800	1541	1321	1574	1154	847	0.0*	-2.2	--

* 0.0 indicates yardage at which shotgun was sighted in.

SLUGGER RIFLED SLUG MANAGED-RECOIL

Devastating performance, but with 45% less felt recoil than full velocity Sluggers. Less recoil makes sighting-in more comfortable, while the accuracy and speed of second shots is greatly improved. And with effective energy out to 80 yards, it handles the majority of shotgun deer hunting ranges.



SLUGGER MANAGED RECOIL RIFLED SLUG													
INDEX NO.	ORDER NO.	GAUGE	LENGTH (IN.)	SLUG (OZ.)	VELOCITY (FPS)			ENERGY (FT-LB)			TRAJECTORY (IN.)		
					MUZ.	50 YDS.	100 YDS.	MUZ.	50 YDS.	100 YDS.	50 YDS.	100 YDS.	150 YDS.
RL12RS	20290	12	2 3/4	1	1200	988	873	1397	948	739	0.0*	-7.4	--

* 0.0 indicates yardage at which shotgun was sighted in.

INSIDE THE FACTORY

Commanding the skyline, Remington's historic Shot Tower rises eleven stories over Big Green's iconic ammunition manufacturing plant in Lonoke, Arkansas.


The lead shot in shells like Remington Gun Club, Premier STS, Express Buckshot and Nitro Pheasant all starts its journey to your trigger pull as molten lead at the top floor. Formed by gravity in a freefall, shot sizes from 9 to 000 are then carefully screened and filtered to select only the most consistent and perfectly round shot available.

The manufacture of Remington lead shot dates to the construction of the tower in the late 1960s.

Built with DuPont™ technology from the turn of the 20th century, the Remington Shot Tower serves as both a local landmark and the heart of Remington Ammunition.

One of only a small handful of shot towers still in operation, Remington's tower makes the shot for hundreds of millions of rounds of ammunition a year, and uncounted billions of shells since its first pour of lead.

Read on to discover the storied process Remington uses daily to make every shot size imaginable.



HOW REMINGTON SHOT IS MADE

- 1 Lead ingots are brought from the staging area on the 1st floor to the 11th floor kiln via a purpose-built elevator
- 2 On the 11th floor, ingots are sent into the kiln, melted, and piped in liquid form to a specially sized screen over the drop tube. This screen determines average shot size
- 3 Molten lead falls 160 feet down the drop tube, solidifying into solid/semi solid sphere before falling into chilled water on the first floor
- 4 Wet shot elevator takes the lead to the 10th floor, draining water on the way up
- 5 Lead falls down to the 9th floor where it is given a dose of graphite and initially polished
- 6 Shot flows from the 8th to the 7th floor through a dryer and screen. Shot is rolled on the 5th floor over custom glass sorting tables to ensure all pellets are perfectly round. Imperfect shot goes to the scrap stream
- 7 Shot goes through an initial size screening on the 4th floor to sort out shot size families like 12-10 shot, 9.5-7 shot, etc. Shot is exactly sized to its final form by .005-inch increments on the 3rd floor and staged in 2nd floor storage tanks based on size and antimony percentage
- 8 When ready to be loaded into a shotshell, the stored shot is drained into buggies on the 1st floor and carted off to loading



PREMIER STS

CHAMPIONSHIP DNA.

Shoot to win with a world-class combination of shot-to-shot consistency and reloadability. The choice of champions at major skeet, trap, and sporting clays shoots across the country, Premier STS Target Loads are the benchmark for target-crushing performance and a favorite at the reloading bench. But don't take our word for it, ask the long list of Remington champions winning with Premier STS. Get ready to crush clays and the competition.



1 CRIMP

Improved design facilitates wad insertion and reduces the forces required for final crimp — a real plus in high output progressive reloading

2 REMINGTON SHOT

Made in Remington's Shot Tower. High antimony hard lead shot precision graded to insure perfectly round pellets with incredible uniformity for tight patterns



3 FIGURE 8 WAD

Remington Figure 8™ Wad is engineered to compress evenly on ignition to cushion and protect the shot. Extra deep over-powder cup positively seals gases for consistent velocity — even in overbored guns

4 PREMIER STS BODY

New High Tensile polyethylene hull reloads longer, while providing an extra smooth finish for positive feeding in competition guns

5 FRESH MADE BRASS

Brass for easy resizing and long life

PREMIER STS

INDEX NO.	ORDER NO.	GAUGE/ BORE	LENGTH (IN.)	MUZZLE VELOCITY (FPS)	OUNCES OF SHOT	SHOT SIZE
STS1218	20155	12	2 3/4	1185	1	8
STS12L7	20110	12	2 3/4	1145	1 1/8	7 1/2
STS12L8	20112	12	2 3/4	1145	1 1/8	8
STS12L85	20114	12	2 3/4	1145	1 1/8	8 1/2
STS12L9	20116	12	2 3/4	1145	1 1/8	9
STS12LH7	20250	12	2 3/4	1200	1 1/8	7 1/2
STS12LH8	20252	12	2 3/4	1200	1 1/8	8
NEW LR STS12LR7	20240	12	2 3/4	1100	1 1/8	7 1/2
NEW LR STS12LR8	20242	12	2 3/4	1100	1 1/8	8
STS20SC8	28059	20	2 3/4	1200	7/8	8
STS209	20217	20	2 3/4	1200	7/8	9
STS28SC8	28057	28	2 3/4	1200	3/4	8
STS289	28053	28	2 3/4	1200	3/4	9
STS4109	20750	410	2 1/2	1275	1/2	9

KEY: LR = Low Recoil

▲ LOADED TO PERFORM

STS shotgun shells are loaded with Premier shot, primers, powders, and wads.

▲ A SHELL FOR EVERY SHOT

Available in target, light target, light handicap and low recoil loads.

▲ RELOAD AND RELOAD AGAIN

High-grade plastic hulls and brass bases allow you to reload these shells many times over.

▲ PREMIER STS LOW RECOIL

STS is now available in select low recoil loads. Go harder on clays and easier on your shoulder.



YOUR GAME. YOUR SHELLS.



TEAM REMINGTON

TRAP, SKEET AND SPORTING GLORY.

Big Green's premier roster of top shotshell competitors take no prisoners on their quest to win world championships. Rising stars and seasoned veterans alike shoot to win with Remington's support. From the miles of trap fields at the Grand American to the heat of the World Skeet Championships at the National Shooting Complex in San Antonio, Texas, Team Remington continues to notch HOA wins and bring home the gold.

The nation's top team uses the industry's leading ammunition to break clays and win trophies. Team Remington athletes compete and medal with Premier STS, Nitro 27 and Nitro Sporting Clays loads.



A winning combination of shot-to-shot consistency with dependable, dense patterns, Remington Premier shotshells feature the world's best Unibody hull, made from a single piece of durable polymer for the best construction – and the best shot – possible. Made high in the historic Shot Tower in Lonoke, Arkansas (See page 57) Remington Premier shot is perfectly round and as hard as possible for performance shot after shot and broken target after broken target.

Remington shells are the choice of champions at all major trap, skeet and sporting clay shoots around the country, as well as wherever a clay target is busted.



Stay in touch with the team. Subscribe to Remington's e-newsletter and social media channels for shooting tips and tricks.

2022 HIGHLIGHTS

WINNING BIG WITH BIG GREEN.

Celebrating selected Team Remington wins below – all shot and won with Premier Shotshells. Here's to a new victorious season!

TRAP

ATA Grand American

Chase Horton – *Runner Up, Prelim HOA & SOS Clays Doubles*
Wyatt DeBrie – *Champion, Sub Junior Super 500 Doubles*
Wyatt DeBrie – *Runner Up, Sub Junior Super 500 Handicap*

USA Shooting Nationals

Julia Stallings – *Runner Up*

US Open

Zachary Nannini – *Singles Champion*

ATA 2023 All-American Team

Open First Team – Chase Horton, Sean Hawley, Zachary Nannini
Open Second Team – Bruce Davis
Veteran First Team – Mike Dennis
Sub-Veteran First Team – Mike Blaisdell, Dean Townsend
Sub-Junior First Team – Wyatt DeBrie, Captain



SKEET

World Skeet Championship

Lauren Burge – *Lady HOA*
Clay Baldwin – *Champion 20GA*
Houston Deshotels – *3rd 28GA, 3rd Mini-World*

Harry Wright Open

Alessandro Vitale – *Champion*
Sam Armstrong – *3rd HOA*

Arkansas Open

Houston Deshotels – *Champion*

North South Skeet Championship

Alessandro Vitale – *Champion .410*

Triple J Classic

Alessandro Vitale – *Champion .410*

Kasle Open

Craig Parsons – *Champion 20GA*
Alessandro Vitale – *Champion 12GA*

Tri-Star Skeet Classic

Houston Deshotels – *Doubles Champion, .410 Champion*

New York State Championship

Craig Parsons – *Doubles Champion, .410 Champion*



SPORTING CLAYS

2022 National Sporting Clays Championship

Todd Hitch – *Beretta Challenge Super Sporting HOA*
Reanna Frauens – *2nd Kreighoff Cup Lady*
Madison Sharpe – *3rd Main Junior Lady*
Wendell Cherry – *3rd Main Veteran*

World FITASC Sporting Clay Championship

Madison Sharpe – *Ladies' Team Gold*
Madison Sharpe – *Individual Silver*
Todd Hitch – *Men's Team Silver*

US Open

Madison Sharpe – *Lady HOA, Juniors HOA*
Reanna Frauens – *5-Stand Lady HOA*
Wendell Cherry – *Veteran HOA Runner Up*
Todd Hitch – *FITASC Junior HOA Runner Up*

NSCA Northeast Regional

Wendell Cherry – *1st Veteran's Division FITASC Grand Slam, Main, Five-Stand, Super Sporting*
Madison Sharpe – *1st Ladies FITASC Grand Slam, 20GA, 28GA*
Reanna Frauens – *Ladies Cup Winner*
Mike Luongo – *M2 Super Sporting, 20GA, 28GA*

Seminole Cup

Todd Hitch – *HOA*

Florida Challenge

Reanna Frauens – *Lady Champion, Junior Champion*





PREMIER NITRO SPORTING CLAYS

COMPETITION. WE USE THE TERM LIGHTLY.

Smoke targets and conquer the competition with Premier Nitro Sporting Clays – the finest sporting clay loads in the world today. The shell's extra velocity gives you an added advantage for those long crossers – making target leads shorter for ultimate clay-crushing satisfaction. The unique Remington Premier gold hull has earned a reputation as one of the most “reloader friendly” designs ever to hit the clay target-shooting world.



PREMIER NITRO SPORTING CLAYS

INDEX NO.	ORDER NO.	GAUGE/ BORE	LENGTH (IN.)	VELOCITY	OUNCES OF SHOT	SHOT SIZE
STS12NSC17	28850	12	2¾	1350	1	7½
STS12NSC7	20264	12	2¾	1300	1½	7½
STS12NSC8	20266	12	2¾	1300	1½	8
STS20NSC7	28860	20	2¾	1300	½	7½
STS28NSC7	28868	28	2¾	1300	¾	7½
STS410NSC8	28879	410	2½	1300	½	8



PREMIER NITRO 27 HANDICAP LOADS

ENGINEERED FOR THOSE WHO LIKE TO WIN.

Designed specifically for back-fence trap and long-range sporting clays, Premier Nitro 27 Target Loads deliver consistent handicap velocity and pattern uniformity shot after shot. Our Premier body and Power Piston® Wad reduces felt recoil while retaining high velocity and world-class performance, allowing avid trap shooters to stay fresh for the shoot-off. What's more, Premier Nitro 27 scores just as high on fast-moving doves and boasts long-range effectiveness that's backed by a long list of Remington trapshooting champions.

PREMIER NITRO 27 HANDICAP TRAP LOADS

INDEX NO.	ORDER NO.	GAUGE	LENGTH (IN.)	VELOCITY	OUNCES OF SHOT	SHOT SIZE
STS12NH17	20227	12	2¾	1290	1	7½
STS12NH7	20222	12	2¾	1235	1½	7½
STS12NH8	20224	12	2¾	1235	1½	8





NEW
GUN CLUB CURE

EVERY SHOT MATTERS.

The newest addition to Remington's Gun Club product family is destined to help real families nationwide. A portion of the proceeds from the sale of this ammunition benefits children's hospitals and disease research, meaning your day at the trap, skeet or sporting clays course shooting gives back to those in need.

Gun Club Cure's unique hull shows your support for children. Available in two 12GA loads, including a low-recoil version.



- 1 PREMIER STS HULL CONSTRUCTION**
Made with the same internal dimensions as Remington's leading Premier STS hull
- 2 GUN CLUB SHOT**
Made to the highest quality control standards
- 3 REMINGTON POWER PISTON WAD**
Gives consistent velocity for higher scores
- 4 PRIMER/PROPELLANT**
Carefully chosen for shot-to-shot consistency and a smooth feel



GUN CLUB CURE						
INDEX NO.	ORDER NO.	GAUGE	LENGTH (IN.)	MUZZLE VELOCITY (FPS)	OUNCES OF SHOT	SHOT SIZE
GCC12L8	R20029	12	2 3/4	1145	1 1/8	8
LR GCC12LR8A	R20031	12	2 3/4	1100	1 1/8	8

KEY: LR = Low Recoil



NEW SPORTING LOAD
GUN CLUB TARGET LOADS

HIGH QUALITY. LOW COST.

Spend less and shoot more. Remington Gun Club Target Loads are an excellent choice for a budget-savvy shooter and the highest quality budget shotshells on the market. Featuring Gun Club Grade Shot, Premier® STS Primers, and Power Piston One-Piece Wads, these high-quality shells receive the same care in loading as our top-of-the-line Premier STS and Nitro 27 shells. Available in most gauges including new low recoil loads, this shell is guaranteed to give you more bang for your buck.



- ▲ QUALITY MEETS AFFORDABILITY**
Gun Club are the most consistent and reliable shells for a whole lot less
- ▲ LOADED TO PERFORM**
Loaded with Gun Club Grade Shot, Premier STS Primers and Power Piston One-Piece Wads
- ▲ HANDLOADER APPROVED**
Provides handloaders with unequaled reloading ease and hull longevity
- ▲ NEW LOW RECOIL**
Shoot more with less felt recoil. Enabled by advanced propellant technology, new low recoil loads are great for young shooters, new shooters or anyone looking to shoot all day. Available in Premier STS, Gun Club and new Gun Club Cure.

GUN CLUB TARGET LOADS						
INDEX NO.	ORDER NO.	GAUGE	LENGTH (IN.)	MUZZLE VELOCITY (FPS)	OUNCES OF SHOT	SHOT SIZE
GC1218	20081	12	2 3/4	1185	1	8
GC12L7	20244	12	2 3/4	1145	1 1/8	7 1/2
GC12L8	20230	12	2 3/4	1145	1 1/8	8
GC12L9	20248	12	2 3/4	1145	1 1/8	9
GC127	20232	12	2 3/4	1200	1 1/8	7 1/2
GC128	20234	12	2 3/4	1200	1 1/8	8
LR GC12LR8	20241	12	2 3/4	1150	1	8

GUN CLUB TARGET LOADS (CONTINUED)						
INDEX NO.	ORDER NO.	GAUGE	LENGTH (IN.)	MUZZLE VELOCITY (FPS)	OUNCES OF SHOT	SHOT SIZE
LR GC12LR8A	20243	12	2 3/4	1100	1 1/8	8
GC207	20239	20	2 3/4	1200	7/8	7 1/2
GC208	20235	20	2 3/4	1200	7/8	8
GC209	20236	20	2 3/4	1200	7/8	9
NEW GCC12L8	R20029	12	2 3/4	1145	1 1/8	8
NEW LR GCC12LR8A	R20031	12	2 3/4	1100	1 1/8	8
NEW GC12S17	R20035	12	2 3/4	1250	1	7 1/2

KEY: LR = Low Recoil



AMERICAN CLAY & FIELD

THE CUTTING EDGE OF BIRD & CLAY-CRUSHING CONSISTENCY.

Nothing that flies stands a chance against these dual-purpose rounds. Featuring a premier STS® primer, reloadable hull, our Power Piston® wad and high-hardness lead shot, they deliver flawless performance and consistent patterning, whether your target is winged or clay.



AMERICAN CLAY & FIELD						
INDEX NO.	ORDER NO.	GAUGE/ BORE	LENGTH (IN.)	MUZZLE VELOCITY (FPS)	OUNCES OF SHOT	SHOT SIZE
HT1275	20344	12	2 3/4	1200	1 1/8	7 1/2
HT128	20346	12	2 3/4	1200	1 1/8	8
HT129	20348	12	2 3/4	1200	1 1/8	9
HT12L8	20356	12	2 3/4	1200	1	8
HT12L9	20358	12	2 3/4	1200	1	9
HT2075	20377	20	2 3/4	1200	7/8	7 1/2
HT208	20379	20	2 3/4	1200	7/8	8
HT209	20381	20	2 3/4	1200	7/8	9
HT288	20492	28	2 3/4	1250	3/4	8
HT289	20494	28	2 3/4	1250	3/4	9
HT4108	20497	410	2 1/2	1275	1/2	8
HT4109	20499	410	2 1/2	1275	1/2	9



PETERS PREMIER BLUE PAPER SHOTSHELLS

RETRO PAPER. MODERN PERFORMANCE.

Peters Blue is Back with new, yet traditional, paper hull shotshells. Tuned for the modern trap, skeet and sporting clay shooter, the paper hulls reduce felt recoil for a more enjoyable day at the range. Peters Paper packs the same powerful components found in other Peters and Remington Premier loads. Enjoy the sweet smell of paper...and victory.

PETERS PREMIER BLUE PAPER						
INDEX NO.	ORDER NO.	GAUGE	LENGTH (IN.)	MUZZLE VELOCITY (FPS)	OUNCES OF SHOT	SHOT SIZE
PPT12175	28758	12	2 3/4	1290	1	7 1/2
PPT12L75	28745	12	2 3/4	1145	1 1/8	7 1/2
PPT12L8	28746	12	2 3/4	1145	1 1/8	8
PPT12H75	R28749	12	2 3/4	1200	1 1/8	7 1/2
PPT12H8	28751	12	2 3/4	1200	1 1/8	8



BUY ONLINE

Now available, buy Peters Paper and ship directly to your doorstep when you shop on remington.com.



- 1 PREMIER LEAD SHOT**
High antimony lead shot screened to produce uniform performance and clay busting accuracy
- 2 PETERS PAPER HULL**
Shoot longer with less felt recoil. The sweet smell of victory
- 3 COMPETITION WAD**
Retro look, modern performance. Produces tight patterns downrange
- 4 PRIMER/PROPELLANT**
Carefully selected and paired to produce even ignition and consistent velocity
- 5 ALL BRASS HEAD**
For the utmost in reliability and reloadability



 REMINGTONARMS
 REMINGTON1816
 REMINGTON1816
 REMINGTON1816
 THE_REMINGTON_CLUB
www.remington.com



HANDGUN



**NEW 30 SUPER CARRY
HTP HIGH TERMINAL PERFORMANCE**



**NEW 10MM AUTO
GOLDEN SABER BONDED**




GOLDEN SABER BONDED	71
GOLDEN SABER DEFENSE	73
HTP HIGH TERMINAL PERFORMANCE	75
RANGE CLEAN	77
SUBSONIC HANDGUN	78
NEW REMINGTON RANGE	79
PERFORMANCE WHEELGUN	80
UMC HANDGUN	81

NEW 10MM AUTO

GOLDEN SABER BONDED

All the revolutionary features that make Golden Saber rounds the leading edge in defensive handgun rounds, along with the unmatched barrier-penetration performance of our special bonded-bullet design. Exceptional weight retention—up to 97% through auto glass. Jacket stiffness and wall thickness optimized to eliminate over-expansion, thus maximizing penetration. Available in 357 Sig, 9mm Luger, 10mm Auto, 40 S&W and 45 Auto.



- ▲ EXCLUSIVE TECHNOLOGY HOT-BONDS LEAD CORE TO BRASS JACKET
- ▲ REDUCED BULLET NOSE DIAMETER FOR PRECISE BORE ALIGNMENT AND MATCH-GRADE ACCURACY
- ▲ REQUIRES LESS ENERGY TO INITIATE EXPANSION
- ▲ LOADED WITH PREMIER COMPONENTS FOR ULTIMATE RELIABILITY

GOLDEN SABER BONDED				
CARTRIDGE	INDEX NO.	ORDER NO.	BULLET WT. (GR.)	BULLET TYPE
9mm Luger	GSB9MMDB	29341	124	BBJHP
9mm Luger	GSB9MMCB	29343	147	BBJHP
NEW 10MM Auto	GSB10MMAB	R21368	180	BBJHP
357 Sig	GSB357SBB	29407	125	BBJHP
40 S&W	GSB40SWAB	29363	165	BBJHP
40 S&W	GSB40SWBB	29365	180	BBJHP
45 Auto	GSB45APAB	29325	185	BBJHP
45 Auto	GSB45APBB	29327	230	BBJHP

KEY: BBJHP = Bonded Brass Jacketed Hollow Point
For more information on ballistics, see pages 108-114.



Golden Saber Bonded penetrates to optimal performance depth with maximum energy and force transfer for stopping power.



NEW 10MM AUTO

GOLDEN SABER DEFENSE

OPTIMIZED FOR FULL-SIZE OR COMPACT HANDGUNS.

Based on the same platform trusted by law enforcement professionals, now available for personal defense. Loaded with our high-performance Golden Saber Brass Jacketed Hollow Point (BJHP), these rounds deliver massive expansion and deep penetration for ultimate stopping power. Premier nickel-plated cases resist corrosion and cycle dependably after extended storage. Available in loadings maximized for full size as well as compact pistols and revolvers, as well as in the most popular calibers.

Golden Saber Defense Compact is designed with the concealed carry permit holder in mind to deliver big gun terminal performance out of shorter-barreled pistols and revolvers.



Optimal Penetration & Expansion for Threat-Stopping Performance.

GOLDEN SABER DEFENSE FULL SIZE

CARTRIDGE	INDEX NO.	ORDER NO.	BULLET WT. (GR.)	BULLET TYPE
380 Auto	GSD380BN	27605	102	BJHP
38 Special +P ‡	GSD38SBN	27606	125	BJHP
9mm Luger	GSD9MMBN	27601	124	BJHP
9mm Luger	GSD9MMC	27604	147	BJHP
9mm Luger +P	GSD9MMD	27603	124	BJHP
NEW 10MM Auto	GSD10MMBN	R21369	180	BJHP
357 Magnum	GSD357MA	27600	125	BJHP
40 S&W	GSD40SWA	27607	165	BJHP
40 S&W	GSD40SWBN	27608	180	BJHP
45 Auto	GSD45APA	27609	185	BJHP
45 Auto	GSD45APBN	27612	230	BJHP
45 Auto +P	GSD45APC	27611	185	BJHP

GOLDEN SABER DEFENSE COMPACT

CARTRIDGE	INDEX NO.	ORDER NO.	BULLET WT. (GR.)	BULLET TYPE
380 Auto	GSC380BN	27615	102	BJHP
38 Special+P ‡	GSC38SBN	27617	125	BJHP
9mm Luger	GSC9MMBN	27613	124	BJHP
NEW 10MM Auto	GSC10MMBN	R21370	180	BJHP
40 S&W	GSC40SWBN	27618	180	BJHP
45 Auto	GSC45APBN	27619	230	BJHP

KEY: BJHP = Brass Jacketed Hollow Point

‡Ammunition with "+P" on the case headstamp is loaded to higher pressure. Use only in firearms designated for this cartridge and so recommended by the manufacturer. For more information on ballistics, see pages 108-114.

BUILT TO DEFEND WHEN IT MATTERS MOST.



- 1 EXCLUSIVE BRASS JACKET**
Its precision nose cuts control expansion and optimizes energy transfer
- 2 CASE MOUTH AND PRIMER WATERPROOFING**
For maximum reliability
- 3 NICKEL-PLATED CASES**
To reduce oxidation and improve feeding and extraction
- 4 SPECIALLY TREATED POWDERS**
To suppress muzzle flash

MORE BADASS THAN THE BAD GUYS.



NEW 32 H&R MAG

NEW 30 SUPER CARRY

HTP HIGH TERMINAL PERFORMANCE

MORE VARIETY. MORE DEADLY.

Equally as good for personal defense and bringing down big game, Remington High Terminal Performance packs ample punch to deliver instant stopping power when you need it most. Manufactured with Premier primers, brass cases and propellants, HTP is available in all major defense calibers, in standard and many +P loadings. Because when you've got a job to do, we've got the load to help you get it done. Now available in 32 H&R Mag.

NOW AVAILABLE FROM REMINGTON **ED SUPER CARRY™**

MORE CHANGES EVERYTHING.

More capacity than a 9MM. More effective than a 380. New 30 Super Carry is taking the defensive world by storm. Now available from Remington in HTP Handgun as well as range-ready UMC Handgun.

MAGAZINE CAPACITY


10 ROUNDS

9MM LUGER

13 ROUNDS

30 SUPER CARRY

3 MORE ROUNDS PER MAGAZINE



HIGH TERMINAL PERFORMANCE (HTP)				
CARTRIDGE	INDEX NO.	ORDER NO.	BULLET WT. (GR.)	BULLET TYPE
NEW 30 Super Carry	RTP30C	R20019	100	JHP
9mm Luger	RTP9MM1A	28288	115	JHP
9mm Luger +P	RTP9MM6A	28293	115	JHP
9mm Luger	RTP9MM8A	28295	147	JHP
NEW 32 H&R Mag	RTP32HR	R20017	85	JHP
357 Mag	RTP357M7A	22237	110	SJHP
357 Mag	RTP357M1A	22227	125	SJHP
357 Mag	RTP357M2A	22231	158	SJHP
357 Mag	RTP357M3A	22233	158	SP
357 Mag	RTP357M10A	22239	180	SJHP
38 Spl	RTP38S16A	22293	110	SJHP
38 Spl +P	RTP38S10A	22295	110	SJHP
38 Spl +P	RTP38S21A	22303	125	SJHP
38 Spl +P	RTP38S12A	22297	158	LHP
380 Auto	RTP380A1A	22248	88	JHP
41 Rem Mag	RTP41MG1A	23000	210	JSP
44 Rem Mag	RTP44MG2A	23002	240	JHP
44 Rem Mag	RTP44MG3A	23010	240	SJHP
40 S&W	RTP40SW1A	22306	155	JHP
40 S&W	RTP40SW2A	22308	180	JHP
45 Auto	RTP45AP2A	21453	185	JHP
45 Auto	RTP45AP7A	21455	230	JHP
45 Colt	RTP45C1A	23012	230	JHP

For more information on ballistics, see pages 108-114.

KEY: JHP = Jacketed Hollow Point SJHP = Semi-Jacketed Hollow Point
SP = Soft Point LHP = Lead Hollow Point JSP = Jacketed Soft Point

HANDGUN HUNT OR PERSONAL DEFENSE.



REMINGTON RANGE CLEAN

**CLEAN SHOOTING
CONFIDENCE.**

From lead-free primers, to specially designed bullets, economical Remington Range Clean cartridges virtually eliminate lead exposure at the firing line. A must-have for shooters who frequent indoor ranges, it's jacketed bullet's enclosed base prevents lead exposure upon firing. Standard bullet weights duplicate the ballistics of conventional loads.



REMINGTON RANGE CLEAN				
CARTRIDGE	INDEX NO.	ORDER NO.	BULLET WT. (GR.)	BULLET TYPE
380 Auto	RC380AP2	27683	95	FNEB
9mm Luger	RC9MM11	27681	115	FNEB
40 S&W	RC40SW5	27685	180	FNEB
45 Auto	RC45AP8	27687	230	FNEB

KEY: FNEB = Flat Nose Enclosed Base
For more information on ballistics, see pages 108-114.

- ▲ **DESIGNED FOR INDOOR RANGES**
- ▲ **LEAD-FREE PRIMER**
- ▲ **SAME WEIGHT AS CONVENTIONAL LOADS**
- ▲ **AVAILABLE IN 380 AUTO, 9MM LUGER, 40 S&W, AND 45 AUTO**




REMINGTON SUBSONIC HANDGUN

AMMUNITION FOR THE SILENT REVOLUTION.

Remington Subsonic Handgun ammunition is specifically designed for shooting in suppressed pistols. Engineered for maximum performance at subsonic velocities and — after a long session at the range — easier cleaning thanks to enclosed base bullets that virtually eliminate leading in suppressor ports.

SUPPRESSED vs UNSUPPRESSED



REMINGTON SUBSONIC HANDGUN				
CARTRIDGE	INDEX NO.	ORDER NO.	BULLET WT. (GR.)	BULLET TYPE
9mm Luger	S9MM9	28435	147	Flat Nose Enclosed Base
45 Auto	S45AP4	28428	230	Flat Nose Enclosed Base


For more information on ballistics, see pages 108-114.



NEW
REMINGTON RANGE

NOW AVAILABLE NATIONWIDE.

Save on price without skimping on quality with Remington Range. A line of FMJ handgun ammunition designed with the frequent shooter in mind, Remington Range is built with high quality, factory fresh components. Available in 9MM or 40 S&W.



- 1 PROVEN BULLET**
FMJ built to high quality standards
- 2 LEAD CORE**
Manufactured from scratch
- 3 FACTORY-FIRSTS**
Fresh brass, easily reloaded
- 4 RELIABLE COMPONENTS**
Loaded with quality primers and propellants

REMINGTON RANGE					
CARTRIDGE	INDEX NO.	ORDER NO.	BULLET WT. (GR.)	BULLET TYPE	
NEW 9mm Luger	T9MM3L	R27778	115	FMJ	
NEW 9mm Luger	T9MM3CL	R27779	115	FMJ	
NEW 9mm Luger	T9MM3BL	R23979	115	FMJ	
NEW 9mm Luger	T9MM3AL	R23975	115	FMJ	
NEW 9mm Luger	T9MM2L	R27780	124	FMJ	
NEW 40 S&W	T40SW3L	R27781	180	FMJ	

KEY: FMJ = Full Metal Jacket
For more information on ballistics, see pages 108-114.



NEW 32 H&R MAG

PERFORMANCE WHEELGUN

REVOLVER & LEVERGUN FAVORITES LOADED WITH EVERY MODERN BALLISTIC ADVANTAGE.

Introducing ultimate consistency, accuracy and ironclad reliability, engineered to take your revolver and lever-action rifle skills to new heights. Performance WheelGun ammunition is precision crafted using premium components and Remington Kleanbore® primers, and is available in traditional revolver and lever-action bullet styles.

PERFORMANCE WHEELGUN					
CARTRIDGE	INDEX NO.	ORDER NO.	BULLET WT. (GR.)	BULLET TYPE	
NEW 32 H&R Mag	RPW32HR	20021	95	Semi Wad Cutter HP	
32 S&W	RPW32SW	22206	88	Lead Round Nose	
32 S&W Long	RPW32SWL	22210	98	Lead Round Nose	
357 Magnum	RPW357M5	22223	158	Lead Semi Wad Cutter	
38 S&W	RPW38SW	22278	146	Lead Round Nose	
38 Special	RPW38S3	22267	148	Target-Master Wad Cutter	
38 Special	RPW38S6	22271	158	Lead Semi Wad Cutter	
38 Special	RPW38S5	22281	158	Lead Round Nose	
38 Short Colt	RPW38SC	22273	125	Lead Round Nose	
44 S&W Special	RPW44SW	22333	246	Lead Round Nose	
45 Colt	RPW45C1	22338	225	Lead Semi Wad Cutter	
45 Colt	RPW45C	22340	250	Lead Round Nose	

For more information on ballistics, see pages 108-114.



REMINGTON UMC THE NAME AMERICA TRUSTS

For over 150 years, the Union Metallic Cartridge Company name has been synonymous with innovative, high-quality ammunition. UMC has become a fixture in the shooting ranges and hunting grounds of America by delivering the best in shot-to-shot consistency and the latest technology at the right price. Simply put, no one delivers a better product more efficiently, and the results are proof—from point of purchase to point of impact.



REMINGTON 30 SUPER CARRY
AVAILABLE NOW

ALSO AVAILABLE IN HTP
HANDGUN, PAGE 75

NEW 30 SUPER CARRY

NEW 5.7X28MM

UMC HANDGUN CARTRIDGES

All UMC ammunition is made in Lonoke, Arkansas, using first-quality, factory-fresh brass and clean-shooting Kleanbore® primers to provide the best value for high volume shooters. Now available in new 30 Super Carry, 5.7x28MM, and 327 and 327 Federal Magnum.



UMC HANDGUN AMMUNITION
AVAILABLE IN BUCKETS.



UMC HANDGUN CARTRIDGES

CARTRIDGE	INDEX NO.	ORDER NO.	BULLET WT. (GR.)	BULLET TYPE
NEW 5.7x28mm	L5728MM1	R23986	40	FMJ
25 Auto (6.35mm)	L25AP	23716	50	FMJ
NEW 30 Super Carry	L30SC	R20015	100	FMJ
32 Auto	L32AP	23704	71	FMJ
327 Federal Magnum	L327	R20016	100	JHP
357 Magnum	L357M12	23738	125	JSP
357 Sig.	L357S1	23734	125	FMJ
38 Super Auto +P	L38SUP	23722	130	FMJ
38 Special +P	L38S2	23754	125	SJHP
38 Special	L38S5	23724	158	LRN
38 Special	L38S11	23730	130	FMJ
380 Auto	L380AP	23720	95	FMJ
9mm Luger	L9MM1	23752	115	JHP
9mm Luger	L9MM2	23718	124	FMJ
9mm Luger	L9MM3	23728	115	FMJ
9mm Luger	L9MM9	23732	147	FMJ
10mm Auto	L10MM6	23706	180	FMJ
40 S&W	L40SW2	23694	180	JHP
40 S&W	L40SW3	23742	180	FMJ
40 S&W	L40SW4	23746	165	FMJ
44 Remington Magnum	L44MG7	23744	180	JSP
45 Auto	L45AP1	23818	185	FMJ
45 Auto	L45AP4	23726	230	FMJ
45 Auto	L45AP7	23696	230	JHP


UMC HANDGUN CARTRIDGES (RANGE BUCKETS)

CARTRIDGE	INDEX NO.	ORDER NO.	BULLET WT. (GR.)	BULLET TYPE
380 Auto	L380APBCA	R23978	95	FMJ
38 Special	L38S11BC	23669	130	FMJ
9mm Luger	L9MM3BC	23635	115	FMJ
40 S & W	L40SW3BC	23976	180	FMJ
45 Auto	L45AP4BC	23817	230	FMJ

KEY: JSP = Jacketed Soft Point SJHP = Semi-Jacketed Hollow Point
FMJ = Full Metal Jacket LRN = Lead Round Nose

*Ammunition with "+P" on the case headstamp is loaded to higher pressure. Use only in firearms designed for this cartridge and so recommended by the manufacturer. For more information on ballistics, see pages 108-114.

RIMFIRE



22 THUNDERBOLT



22 GOLDEN BULLET



NEW AND IMPROVED 22LR

CONSISTENT VELOCITY FOR PEAK PERFORMANCE IN EVERY BOX.

Remington Rimfire's new 22LR technology brought the millions of rimfire rounds we load each year to new heights of quality. Improved shell head geometry and an advanced new primer mix has made every 22 round we produce even more consistent with steady velocity guaranteed to go bang.



Look for the new Remington "R" headstamp and mark of improved quality. Only from the engineers at Remington.



NEW 225 PACK

SUBSONIC

SUBSONIC - 22 LONG RIFLE LOW VELOCITY

Remington Subsonic delivers superior stealth and consistency below the sound barrier. Its tack-driving rimfire performance was manufactured with tight velocity control to eliminate supersonic cracks. Driving a copper-plated, hollow-point bullet optimized for reduced lead buildup in suppressor ports and maximum effectiveness at lower velocity.



22 GOLDEN BULLET

HIGH VELOCITY - 22 SHORT & 22 LONG RIFLE

Legendary 22 Golden Bullet Plated RN and HP bullets are engineered for easy cycling and solid performance. High Velocity increases downrange energy, extending your effective range. Improved priming compound ensures consistent ignition at a great value.



22 TARGET

STANDARD VELOCITY - 22 LONG RIFLE

With 40-grain round nose bullets propelled by powder and primer charges of exacting consistency, Remington 22 Target ammunition delivers match-grade precision and championship performance in every round.



CBEE 22

LOW NOISE / LOW VELOCITY - 22 LONG RIFLE

Combines low noise with excellent shot-to-shot consistency. Its 33-grain Plated Truncated-Cone HP bullet is ideal for dispatching varmints and small game at close range as quietly as possible. Its tiny report makes it an excellent choice for new shooters as well.





NEW 225 PACK
22 VIPER

HYPER VELOCITY – 22 LONG RIFLE

These Plated Truncated Cone Solid Bullets are renowned for their smooth feeding in any automatic pistol or rifle. The large diameter of the flat nose imparts tremendous shock at the entry point, while the solid bullet retains all of its weight to penetrate deep. These hyper-velocity loads hold their own at the target board as well. For fast-striking, 22 performance, Viper can't be beat.



NEW 225 PACK
22 YELLOW JACKET

HYPER VELOCITY – 22 LONG RIFLE

The smooth feeding and excellent penetration of a Truncated Cone combined with the stopping power and massive wound channel of a hollow point. These bullets are specially designed to deliver maximum on-game energy with excellent precision. Yellow Jacket leaves a hyper-velocity sting wherever they're dispatched.



22 CYCLONE

HIGH VELOCITY – 22 LONG RIFLE

Tin cans. Rabbits. Or a bulls-eye. High Velocity increases downrange energy, extending your effective range with 38-grain hollow point terminal performance. No matter what you put in your sights, Remington Cyclone is the perfect 22 rimfire ammunition for just about any occasion.



22 THUNDERBOLT

HIGH VELOCITY – 22 LONG RIFLE

They've become the outstanding favorite of 22 owners the world over. These round nose bullets in high-velocity loads cover the broadest range of 22-caliber excitement. No wonder 22 Thunderbolt is our best-selling, and most popular round of all time.



**PREMIER
MAGNUM RIMFIRE
& MAGNUM RIMFIRE**

Premier Magnum Rimfire cartridges are super-tuned to deliver unmatched shot-to-shot consistency, pin-point accuracy and explosive terminal performance. It's the ultimate choice for small game, varmint hunting. Available in 17 HMR and 22 Win Mag.



RIMFIRE – 50 PACKS

PRODUCT LINE	INDEX NO.	ORDER NO.	BULLET WT. (GR.)	BULLET STYLE	VELOCITY
17 HMR	R17HM1	20023	17	JHP	High Velocity
17 HMR	R17HM2	20025	20	PSP	High Velocity
17 HMR	PR17HM1	28464	17	AT	High Velocity
22 Win Mag	PR22M1	21184	33	AT	High Velocity
22 Win Mag	R22M1	21170	40	JHP	High Velocity
22 Win Mag	R22M2	21172	40	PSP	High Velocity
22 Short Golden Bullet	1022	21000	29	PRN	High Velocity
22 LR Golden Bullet	1622	21008	36	PHP	High Velocity
22 LR Golden Bullet	1522	21006	40	PRN	High Velocity
22 CBee	CB-22L100	21119	33	PTCHP	Low Velocity
22 Yellow Jacket	1722	21074	33	PTCHP	Hyper Velocity
22 Viper	1922	21080	36	PTCS	Hyper Velocity
22 Target	6122	21022	40	LRN	Standard Velocity
22 Thunderbolt	TB-22A	21238	40	LRN	High Velocity
22 Cyclone	CY-22HP	21222	36	LHP	High Velocity
Subsonic 22	S22HPA	21135	40	CPT	Low Velocity

RIMFIRE – 100 PACKS

PRODUCT LINE	INDEX NO.	ORDER NO.	BULLET WT. (GR.)	BULLET STYLE	VELOCITY
22 Short Golden Bullet	1000	21001	29	PRN	High Velocity
22 LR Golden Bullet	1600	21278	36	PHP	High Velocity
22 LR Golden Bullet	1500	21276	40	PRN	High Velocity
22 Yellow Jacket	1700	21280	33	PTCHP	Hyper Velocity
22 Viper	1900	21288	36	PTCS	Hyper Velocity
22 Target	6100	21284	40	LRN	Standard Velocity
Subsonic 22	S22HP1A	21137	40	CPT	Low Velocity
22 CBee	CB-22L100	21119	33	PTCHP	Low Noise, Low Velocity

RIMFIRE – 225 PACKS

PRODUCT LINE	INDEX NO.	ORDER NO.	BULLET WT. (GR.)	BULLET STYLE	VELOCITY
22 LR Golden Bullet	1622E	21229	36	PHP	High Velocity
NEW 22 LR Yellow Jacket	YJ225	21233	33	TCHP	High Velocity
NEW 22 LR Viper	VP225	21239	36	TCSB	High Velocity
NEW 22 LR Subsonic	SS225	21249	40	CPHP	High Velocity

RIMFIRE – 500 PACKS

PRODUCT LINE	INDEX NO.	ORDER NO.	BULLET WT. (GR.)	BULLET STYLE	VELOCITY
22 Thunderbolt	TB-22B	21241	40	LRN	High Velocity

RIMFIRE – 525 PACKS

PRODUCT LINE	INDEX NO.	ORDER NO.	BULLET WT. (GR.)	BULLET STYLE	VELOCITY
22 Golden Bullet	1622C	21250	36	PHP	High Velocity

RIMFIRE – 1400 PACKS

PRODUCT LINE	INDEX NO.	ORDER NO.	BULLET WT. (GR.)	BULLET STYLE	VELOCITY
22 Golden Bullet	1622B	21231	36	PHP	High Velocity

KEY: JHP = Jacketed Hollow Point S.JHP = Semi-Jacketed Hollow Point SP = Soft Point
PSP = Pointed Soft Point PRN = Plated Round Nose PHP = Plated Hollow Point
PTCHP = Plated Truncated Cone HP PTCS = Plated Truncated Cone Solid AT = Accutip
LRN = Lead Round Nose LHP = Lead Hollow Point CPT = Copper Plated Tip
For more information on ballistics, see pages 108-114.

ACCESSORIES



NEW CUTLERY



REM® OIL

REM OIL.....	91
SOLVENTS, LUBES & CLEANERS	92
CLEANING & STORAGE	93
REMINGTON CUTLERY	95



REM OIL

The quick, easy way to keep your firearms performing to their full potential. Rem Oil cleans dirt and grime from exposed metal surfaces, while displacing non-visible moisture from metal pores. It also protects internal and external metal parts from rust and corrosion. And the exclusive formula creates a thin, long-lasting film that keeps actions working smoothly by reducing metal-to-metal wear.

AVAILABLE IN:

- 10-oz. Aerosol Can (#24027)
- 6-oz. Spray Pump (Moistureguard) (#18378)
- 4-oz. Aerosol Can (#26610)
- 2-oz. Squeeze Bottle With Child Safe Cap (#18366)
- 1-oz. Squeeze Bottle With Child Safe Cap (#26617)



REM OIL WIPES

Rem Oil Wipes are an efficient way to protect your firearms. Each wipe is treated with Rem Oil, for a quick and easy application of one of the world's most trusted cleaners and lubricants. The individually packaged Rem Oil Wipes are convenient for travel or in your field pack, while the sixty-count canister is a perfect companion for everyone's workbench.

AVAILABLE IN:

- Travel Size (24 Count) (#16325)
- 60-Count Pop-Up Canister (#18384)
- 12 Individually Wrapped 6" x 8" Wipes (#18411)
- Single Packs In Counter Display (#18471)



REM DRILUBE

- Formulated for superior lubricity without leaving any dust collecting residue behind and is perfect for protecting your firearm in sub-zero temperatures
- Teflon®-based lubricant provides a tough, non-congealing film without the residue of dry graphite lubes
- Keeps firearms functioning dependably to -40°F

AVAILABLE IN:

- 4-oz. Aerosol Can (#18396)



SHOTGUN CLEANER

- Cleans trigger groups, gas ports, choke tube threading, receivers, chambers, barrels and magazine tubes
- Dissolves powder residue, fouled lubricants, burnt carbon deposits and gunk
- Blasts away gummy caked-on grime from hard-to-reach areas such as ejectors, firing pin assemblies, trigger components and bolt recesses

AVAILABLE IN:

- 18-oz. Aerosol Can (#18472)



BRITE BORE SOLVENT

- Dissolves carbon and powder fouling, removes copper, lead and plastic deposits
- Handy size for field or range use
- Low odor—contains no CFCs

AVAILABLE IN:

- 6-oz. Aerosol Can (#18394)
- 2-oz. Squeeze Bottle with Child Safe Cap (#18367)



40-X BORE CLEANER

- Formerly Remington Bore Cleaner
- 40-X name ties into the product's origins in Precision Benchrest Shooting
- Formulated for rifles to improve cleaning, accuracy and performance
- Fast and easy to use—no soaking or foul odors
- Contains high polishing compounds to make your bore mirror-clean

AVAILABLE IN:

- 4-oz. Squeeze Bottle with Child Safe Cap (#18397)



REM ACTION CLEANER

- Designed to ensure smooth, reliable gun function in all weather conditions
- Cleans dirt, powder residue, and caked on lubricants from actions & fire control mechanisms without disassembly
- Dissolves used lubricants, including grease and oils, producing a clean, dry surface
- Dries quickly leaving no residue
- Contains no CFC's or Carcinogens

AVAILABLE IN:

- 4-oz. Aerosol Can (#19925)
- 10-oz. Aerosol Can (#18395)



REM GUN GREASE

- Biodegradable and Non-Toxic
- Non-Melt Formula
- Wide temperature range from -20F to 500F
- Protects all sliding parts, threads and hinge points
- Displaces moisture and protects against rust and corrosion
- Safe for finished stocks, coated metals and polymer parts

AVAILABLE IN:

- .5-oz. Squeeze Bottle (#18501)



REM® CLOTH WITH MOISTUREGUARD

- 10" x 10" non-abrasive cloth
- Instantly protects metal surfaces
- Safe on blued, and all metal finishes
- Reusable—includes zip seal pouch
- Washable and can be re-energized by retreating with Rem Oil with MoistureGuard
- #19902



12" GUN SACK WITH SILICONE

- 12" Pistol
- Silicon treated
- Multi-color green
- Draw string closure
- #17269



52" GUN SACK WITH SILICONE

- 52" Long Gun
- Silicon treated
- Multi-color green
- Draw string closure
- #18494



MODEL 365 DEHUMIDIFIER

- Protects up to 60 days before recharging is necessary
- Self-contained unit requires no wiring or extension cords
- Protects 333 cubic feet
- #19950



MODEL 500 DEHUMIDIFIER

- Works in a 500-cubic-foot area
- No battery or cord needed
- Works up to 10 years
- Non-toxic, child and pet safe
- Eco-friendly
- #19946



METAL FIELD BOX/AMMO CAN

- 30 caliber
- Heavy duty latching system
- Folding handle
- #15807

PLASTIC FIELD BOX/AMMO CAN

- 30 caliber
- Waterproof polypropylene provides dry storage
- Heavy duty latching system
- Strong folding handle
- #15808



Gun care available for purchase at www.remington.com

REMINGTON CUTLERY

THE RETURN OF AN AMERICAN CLASSIC.

Born in the historic Illion NY Remington Arms factory in the years following WWII, Remington cutlery became the largest and most well known brand of knives in the world.

Re-introduced in 2022, Remington cutlery is born again with a full line of knives for the hunter and shooter.

From everyday carry, game processing, to the classic Bullet Knife and the collectible and limited edition tin pocket knife sets, Remington Cutlery has returned for a new generation. Big Green is Back.



NEW STACKED LEATHER SERIES

- Stacked leather handles
- Stainless steel guards & pommel
- Stainless steel blades
- Limited lifetime warranty

STACKED LEATHER SERIES			
ORDER NO.	NAME	TYPE	SIZE
NEW R15719	Stacked Leather Piggy Back	Fixed	4" & 7"
NEW R15722	Stacked Leather 10" w/ Sheath	Fixed	7"
NEW R15723	Stacked Leather Junior 6.5" w/ Sheath	Fixed	4"



NEW RXB SERIES

- Removable drop point, clip & saw blades
- Push button lock
- Stainless steel blades
- Limited lifetime warranty

RXB SERIES			
ORDER NO.	NAME	TYPE	SIZE
NEW R15736	RXB Liner Lock Tan/Blk Handle	Multi-Blade	4.5"
NEW R15737	RXB Liner Lock OD Grn/Blk Handle	Multi-Blade	4.5"
NEW R15739	RXB Liner Lock OD Grn G10 Handle w/ Sheath	Multi-Blade	4.5"
NEW R15742	RXB Drop Point (3) Blade Replacement Set	Mixed	
NEW R15743	RXB Multi-Pack (3) Blade Replacement Set	Mixed	

A BLADE FOR EVERY PURPOSE.





HUNTER SERIES

- Multi-color G10 handles with gold spacers
- Stainless steel blades
- Limited lifetime warranty



HUNTER SERIES

ORDER NO.	NAME	TYPE	SIZE
15632	Hunter D2 Trailing Point / Black Leather Sheath	Folder	4"
15633	Hunter D2 Trailing Point / Black Leather Sheath	Fixed	7"
15634	Hunter Stockman	Folder	4"
15636	Hunter Trapper	Folder	4.125"
15637	Hunter Caping Knife / Black Belt Sheath	Fixed	6.5"
15639	Hunter Lock Back	Folder	3.75"

SPORTSMAN SERIES

- Tan/black or OD green/black handles
- 8cr13mov blades with pocket clip
- Limited lifetime warranty



SPORTSMAN SERIES

ORDER NO.	NAME	TYPE	SIZE
15669	Sportsman – Tan/Black Molded Handle	Folder	4.5"
15672	Sportsman – OD Green/Black Molded Handle SS	Folder	4.5"
15673	Sportsman Saw – Tan/Black Molded Handle	Folder	4.5"
15674	Sportsman Skinner w/Gut Hook – OD Green/Black	Folder	4.5"
15675	Sportsman Skinner – Tan/Black Molded Handle w/Sheath	Fixed	8"
15676	Sportsman Skinner w/Gut Hook – Tan/Black w/Sheath	Fixed	8"
15679	Sportsman 3 Piece Skinner Set	Mixed	–

NEW WOODLAND SERIES

- Wood handle with Remington logo
- Stainless steel blades
- Limited lifetime warranty



WOODLAND SERIES

ORDER NO.	NAME	TYPE	SIZE
15657	Woodland Stockman	Folder	3.5"
15658	Woodland Trapper	Folder	3.5"
15659	Woodland Toothpick	Folder	2.75"
15662	Woodland Liner Lock	Folder	4"
15663	Woodland Skinner w/Sheath	Fixed	7.5"
NEW R15728	Woodland Liner Lock Drop Point	Folder	3.5"

NEW EVERYDAY CARRY SERIES

- Tan or black G10 handles with pocket clip
- D2 stone washed blades with ball bearing pivot system
- Limited lifetime warranty



EVERDAY CARRY SERIES (EDC)

ORDER NO.	NAME	TYPE	SIZE
15664	EDC G10 Tan Handle / D2 Stone Washed	Coping Folder	4"
15666	EDC G10 Black Handle / D2 Stone Washed	Coping Folder	4"
15667	EDC G10 Tan Handle / D2 Stone Washed	Drop Point Folder	4"
15668	EDC G10 Black Handle / D2 SS Satin	Drop Point Folder	4"
NEW R15732	EDC Clip Blade w/ Blk Micarta Handle	Liner Lock	4.5"
NEW R15733	EDC Coping Blade w/Dk Grn Micarta Handle	Liner Lock	4.5"
NEW R15734	EDC Drop Point Blade Blk G10 Handle	Liner Lock	4.75"
NEW R15735	EDC Tanto Style Serrated Blade	Liner Lock	5"

NEW GUIDE SERIES

- Stag handles with nickel silver bolsters and Remington shield
- Stainless steel blades
- Limited lifetime warranty



GUIDE SERIES

ORDER NO.	NAME	TYPE	SIZE
15652	Guide Trapper	Folder	4.125"
15653	Guide Stockman	Folder	4"
15654	Guide Lock Back	Folder	4"
15655	Guide Jr. Skinner w/Sheath	Fixed	6.5"
15656	Guide Skinner w/Sheath	Fixed	8.5"
NEW R15726	Guide Trailing Point w/Sheath	Folder	4"
NEW R15727	Guide Copperhead	Folder	3.75"

NEW BACKWOODS SERIES

- Coffee brown bone handles with Remington shield
- Stone washed carbon steel blades
- Limited lifetime warranty



BACKWOODS SERIES

ORDER NO.	NAME	TYPE	SIZE
15642	Backwoods Trapper	Folder	3.5"
15643	Backwoods Stockman	Folder	3.5"
15645	Backwoods Stockman	Folder	4"
15646	Backwoods Lock Back	Folder	3.5"
15647	Backwoods Liner Lock	Folder	3.75"
15648	Backwoods Trapper	Multi Blade Folder	4.125"
15649	Backwoods Skinner w/Sheath	Fixed	6.5"
NEW R15724	Backwoods Congress Bird Dresser	Multi Blade Folder	3.5"
NEW R15725	Backwoods Barlow Folder	Folder	3.5"



WINGMASTER GAME SHEARS MULTI-TOOL

- Ultimate waterfowl/upland game tool
- Scissor head with bone notch cut-out and lock
- 12 ga./20 ga. choke tube wrench
- 3" saw blade
- 1.75" drop point blade
- Birding gut hook
- Ergonomic handle with rubber inserts for secure grip
- Mini-flashlight in handle tube
- Heavy duty nylon sheath
- #R15744



CUTLERY ROLLUP STORAGE SOFT CASE

- Durable Cordura® material with oversize buckles for secure closure
- 45 storage slots
- Fold over mat for protection
- Great for folding knife collection, choke tubes, tools or other collectibles
- #15809



SPORTSMAN TACTICAL PEN SERIES

- Mini-flashlight push button on/off
- Glass break point
- Bottle opener, mini cutting blade, flathead screwdriver, 6 mm wrench

SPORTSMAN TACTICAL PEN SERIES

ORDER NO.	NAME
15677	Sportsman Tactical Pen – Black w/Remington Logo
15678	Sportsman Tactical Pen – Gun Metal Gray w/Remington Logo

COLLECTOR TINS

- Limited edition collector tins featuring authentic Remington vintage art
- Stone washed or stainless steel blades
- Coffee or white bone handles

These limited edition collectibles include a pair of Remington pocket knives in a collector tin featuring authentic Remington vintage art on the lid. Each knife comes with stonewashed blades and either white or coffee brown bone handles with an enlayed Remington medallion. To see the complete series of collectible knife tins, visit www.remington.com.



PIN TAILS
#R15713



TIMBER WOLVES
#R15714



BOB WHITES
#R15715



WHITETAIL AND FOX
#R15716



WHITETAILS CUT OVER
#R15717



ROCKY MOUNTAIN ELK
#R15718



DUCK
#15686



MULE DEER
#15685



PHEASANT
#15684



WHITETAILS
#15693



HARDWOODS HAVEN
#15692




TURKEY
#15687



AMERICAN CLASSIC
#15683



AMERICAN TRADITION
#15682



Buy cutlery on
Remington.com



REMINGTON LICENSED PRODUCTS



BIG GREEN IS BACK

Featuring an expanded roster of trusted partners, Remington is proud to bring you an assortment of new gear and gifts for your Remington lifestyle in the field, range and home. Remington is always seeking quality partners to represent our brand's lifestyle in new product categories. Contact Danny Evans at danny.evans@remington.com.



NEW REMINGTON SAFES

STS FIRE & WATERPROOF SECURITY SAFE

- Fire-Rated
- Waterproof
- Premium Forged Aluminum Wheel
- SECURAM® Lockface
- Robust Locking System
- Durable Construction
- Premium Design
- Exclusive Features

AVAILABLE IN:

- **30-Gun** 65"H x 32"W x 26"D
17.98 cu ft • 955 lbs (#SAR6530S)
- **40-Gun** 65"H x 36"W x 28"D
22.78 cu ft • 1047 lbs (#SAR6540S)
- **50-Gun** 65"H x 40"W x 29.5"D
28.12 cu ft • 1140 lbs (#SAR6550S)
- **60-Gun** 65"H x 44"W x 32"D
34.01 cu ft • 1244 lbs (#SAR6560S)



NITRO FIRE & WATERPROOF SECURITY SAFE

- Fire-Rated
- Waterproof
- SECURAM® Lockface
- Robust Locking System
- Durable Construction
- Premium Design

AVAILABLE IN:

- **26-Gun** 65"H x 29.5"W x 24"D
14.94 cu ft • 825 lbs (#SAR6526N)
- **36-Gun** 65"H x 34"W x 26"D
19.32 cu ft • 904 lbs (#SAR6536N)
- **46-Gun** 65"H x 38"W x 28"D
24.25 cu ft • 982 lbs (#SAR6546N)
- **56-Gun** 65"H x 42"W x 32"D
32.26 cu ft • 1076 lbs (#SAR6556N)



EXPRESS FIRE & WATERPROOF SECURITY SAFE

- Fire-Rated
- Waterproof
- SECURAM® Lockface
- Robust Locking System
- Durable Construction
- Premium Design

AVAILABLE IN:

- **24-Gun** 59"H x 28"W x 22"D
12.38 cu ft • 552 lbs (#SAR5924E)
- **34-Gun** 59"H x 32"W x 23.5"D
15.77 cu ft • 607 lbs (#SAR5934E)
- **44-Gun** 59"H x 36"W x 23.5"D
18.01 cu ft • 629 lbs (#SAR5944E)



Scan to see the full line of Remington safes



AVAILABLE IN:

- **White** (#REM-RC25W)
- **Tan** (#REM-RC25T)
- **Olive Drab** (#REM-RC25-757)
- **Grey** (#REM-RC25-425)

NEW REMINGTON COOLERS

30-CAN PREMIUM INSULATED COOLER

- Double-wall rotomolded construction
- Integrated lid hinge allows for easy open/close
- Durable rubber lid latches keep contents secure
- Ergonomic easy carry stainless handle with rubber overmolding
- Lock-down corners for bear-proofing
- Anti-slide foot pads prevent spillage during transport
- Heavy duty rubber latches and an a-ring barrier provide an air tight seal
- Rapid flow drain system removes water quickly and efficiently
- Ice retention 3-4+ days



30-CAN FOLDING BACKPACK COOLER

- Heavy duty nylon shell with thick foam insulation
- Puncture and tear resistant
- Additional front, side, and top pockets with comfort pull zippers
- Ultra-comfortable backpack straps
- Ice retention 1-2 days
- Adaptable Air Valve Technology
- #REM-TCBP30



42-CAN ZIPPERED BACKPACK COOLER

- Heavy duty nylon shell with thick foam insulation
- Puncture and tear resistant
- Additional front, side, and top pockets with comfort pull zippers
- Ultra-comfortable backpack straps
- Ice retention 1-2 days
- #REM-TCBP42



50-CAN SUBMERSIBLE DUFFEL COOLER

- Heavy duty nylon shell construction
- EVA molded bottom
- Thick & durable waterproof base
- Puncture and tear resistant
- Exchangeable backpack or carry straps
- #REM-TSD530

To see our complete assortment of licensed products available, visit www.remington.com

DECOR & MORE BY SMOKY MOUNTAIN KNIFE WORKS



2022 Remington Bullet Knife available from SMKW.



DECOR BY OPEN ROADS



DECOR BY DESPERATE ENTERPRISES



CALENDARS BY ASHGROVE MARKETING



To see our complete assortment of licensed products available, visit www.remington.com

APPAREL BY TRUE TIMBER



OUTDOOR CAP.

HATS BY OUTDOOR CAP



GANKA EST. 1935

CLOTHING BY GANKA

AUTOMOTIVE GEAR BY PILOT



STORAGE BY IRIS USA



To see our complete assortment of licensed products available, visit www.remington.com

SPECIFICATIONS



INTERCHANGEABILITY CHART

CARTRIDGES WITHIN GROUPS SHOWN ARE INTERCHANGEABLE.

Other substitutions should not be made without specific recommendation of the firearms manufacturer since improper combinations could result in firearm damage or personal injury.

CENTERFIRE	
25-20 Remington	32-20 Win (SEE NOTE A)
25-20 W.C.F.	32-20 Marlin (SEE NOTE G)
25-20 Win	38 S&W
25-20 Win High Speed	38 Colt New Police
25-20 Marlin	380 Webley
25 W.C.F.	38 Colt Special (SEE NOTE B & D)
6mm Remington	38 S&W Special (SEE NOTE B & D)
244 Remington	38 S&W Special Mid-Range (SEE NOTE B & D)
25 Automatic	38 Special Targetmaster (SEE NOTE B & D)
5 Auto. Colt Pistol (ACP)	38 Special +P (SEE NOTE B & D)
25 (6.35mm) Automatic	38-44 Special +P (SEE NOTE B & D)
6.35mm Browning	38 Special (SEE NOTE B & D)
7mm Express, Remington	38 Special Flat Point (SEE NOTE B & D)
280 Remington	38 Short Colt in 38 Long Colt but not conversely. Both can be used in 38 Special.
30-30 Sav.	38 Marlin (SEE NOTE A)
30-30 Win	38 Win (SEE NOTE A)
30-30 Win Accelerator (SEE NOTE A)	38 Remington (SEE NOTE A)
30-30 Marlin	38-40 Win (SEE NOTE A)
30-30 Win High Speed	38 W.C.F. (SEE NOTE A)
30 W.C.F.	38 Automatic in 38 Super +P - but not conversely
32 Colt Automatic	380 Automatic
32 Auto. Colt Pistol (ACP)	9mm Browning Short (Corto Kurz)
32 (7.65mm) Automatic	9mm Luger (SEE NOTE E)
7.65mm Automatic Pistol	9mm Parabellum (SEE NOTE E)
7.65mm Browning (not interchangeable with 7.65mm Luger)	44 S&W Special (SEE NOTE F)
32 Short Colt in 32 Long Colt but not conversely (SEE NOTE E)	44 Marlin
32 S&W in 32 S&W Long but not conversely	44 Win
32 S&W Long	44 Remington
32 Colt New Police	44-40 Win
32 Colt Police Positive	
32 W.C.F. (SEE NOTE A)	
2 Win (SEE NOTE A)	
32-20 Win, High Speed (SEE NOTE A)	
32-20 Colt L.M.R. (SEE NOTE G)	
32-20 W.C.F. (SEE NOTE G)	
	RIMFIRE
	22 W.R.F.
	22 Remington Special
	22 Win. in a 22 Win. Mag. Rimfire - but not conversely

NOTE A: High-speed cartridges must not be used in revolvers. They should be used only in rifles made especially for them.

NOTE B: Ammunition with "+P" on the case headstamp is loaded to higher pressure. Use only in firearms designated for this cartridge and so recommended by the gun manufacturer.

NOTE C: Not for use in revolvers chambered for 32 S&W or 32 S&W Long.

NOTE D: All 38 Special cartridges can be used in 357 Magnum revolvers but not conversely.

NOTE E: 9mm sub machine gun cartridges should not be used in handguns.

NOTE F: 44 Russian and 44 S&W Special can be used in 44 Remington Magnum revolvers but not conversely.

NOTE G: Not to be used in Win. M-66 and M-73.

CENTERFIRE RIFLE BALLISTICS

17 REMINGTON FIREBALL - 7MM REMINGTON MAGNUM																										
CARTRIDGE	INDEX/EDI NO.	RAMAC	WT (GR)	BULLET STYLE	PRIMER NO.	SIGHT HEIGHT (INCH-ES)	ZERO (YARDS)	VELOCITY (FPS)					ENERGY (FT-LB)					TRAJECTORY (INCHES)					BALLISTIC COEFFICIENT			
								100	200	300	400	500	MUZZLE	100	200	300	400	500	MUZZLE	100	200	300		400	500	
17 Remington Fireball	PRA17FB	29165	20	AccuTip-V	7½	1.5	200	4000	3380	2840	2360	1930	1555	710	507	358	247	165	107	-1.5	0.8	0.0	-5.1	-16.6	-37.6	0.185
	L17FB	28472	25	Jacketed Hollow Point	7½	1.5	200	3850	3273	2767	2313	1905	1547	823	595	425	297	201	133	-1.5	0.9	0.0	-5.5	-17.6	-39.3	0.193
17 Remington	PRA17RA	29162	20	AccuTip-V	7½	1.5	200	4250	3594	3028	2529	2081	1684	802	574	407	284	192	126	-1.5	0.6	0.0	-4.4	-14.4	-32.5	0.185
	R17R2	28460	25	Hollow Point	7½	1.5	200	4040	3420	2881	2402	1972	1594	906	649	461	320	216	141	-1.5	0.8	0.0	-5.0	-16.1	-36.3	0.187
204 Ruger	PRA204A	29218	32	AccuTip-V	7½	1.5	200	4225	3645	3137	2683	2272	1899	1268	944	699	512	367	256	-1.5	0.6	0.0	-4.1	-13.1	-29.0	0.210
	PRA204B	29220	40	AccuTip-V Boat Tail	7½	1.5	200	3900	3482	3103	2755	2433	2133	1351	1077	855	674	526	404	-1.5	0.7	0.0	-4.3	-13.2	-28.1	0.275
22 Hornet	PRA22HNA	29154	35	AccuTip-V	6½	1.5	100	3100	2271	1590	1126	—	—	747	401	197	99	—	—	-1.5	0.0	-5.6	-25.5	—	—	0.109
	R22HN1	28376	45	Pointed Soft Point	6½	1.5	100	2690	2044	1505	1130	—	—	723	417	226	128	—	—	-1.5	0.0	-7.1	-30.0	—	—	0.130
	R22HN2	28378	45	Hollow Point	6½	1.5	100	2690	2044	1505	1130	—	—	723	417	226	128	—	—	-1.5	0.0	-7.1	-30.0	—	—	0.130
220 Swift	R220S1	21297	50	Pointed Soft Point	9½	1.5	200	3780	3158	2617	2135	1710	1357	1586	1107	760	506	325	204	-1.5	1.0	0.0	-6.2	-20.1	-46.1	0.175
221 Remington Fireball	PRA221FB	29172	50	AccuTip-V Boat Tail	7½	1.5	200	2995	2605	2246	1917	1621	1368	996	753	560	408	292	208	-1.5	1.8	0.0	-8.8	-27.1	-58.8	0.238
222 Remington	R222R1	21303	50	Pointed Soft Point	7½	1.5	200	3140	2601	2121	1697	1347	1105	1094	751	499	320	202	136	-1.5	1.9	0.0	-9.7	-31.8	-73.1	0.175
	PRA222RB	29174	50	AccuTip-V Boat Tail	7½	1.5	200	3140	2743	2380	2045	1740	1471	1094	835	629	464	336	240	-1.5	1.6	0.0	-7.8	-23.9	-51.7	0.242
223 Remington	L223R3	23711	55	Full Metal Jacket	7½	1.5	200	3240	2759	2325	1933	1586	1300	1282	929	660	456	307	206	-1.5	1.5	0.0	-8.1	-25.6	-57.1	0.202
	L223R7	23748	45	Jacketed Hollow Point	7½	1.5	200	3550	2953	2430	1963	1559	1241	1259	971	590	385	243	154	-1.5	1.3	0.0	-7.3	-23.7	-54.7	0.173
	L223R8	23812	50	Jacketed Hollow Point	7½	1.5	200	3425	2899	2430	2007	1633	1324	1302	933	655	447	296	195	-1.5	1.3	0.0	-7.3	-23.4	-52.7	0.192
	PRA223RB	29184	50	AccuTip-V Boat Tail	7½	1.5	200	3410	2989	2605	2252	1928	1635	1291	992	753	563	413	297	-1.5	1.2	0.0	-6.4	-19.7	-42.4	0.242
	PRA223RC	29192	55	AccuTip-V	7½	1.5	200	3240	2854	2500	2172	1871	1598	1282	995	763	576	427	312	-1.5	1.4	0.0	-7.0	-21.4	-45.9	0.255
	R223R8	22111	62	Core-Lokt Ultra Bonded PSP	7½	2.5	200	3100	2700	2328	1986	1678	1411	1323	1004	746	543	388	274	-2.5	1.2	0.0	-7.6	-24.2	-53.2	0.234
	R223R1	28399	55	Pointed Soft Point	7½	1.5	200	3240	2747	2304	1904	1554	1270	1282	921	648	443	295	197	-1.5	1.6	0.0	-8.2	-26.2	-58.7	0.197
	RH223RA	22107	62	Core-Lokt Ultra Bonded PSP	7½	2.5	200	3100	2700	2328	1986	1678	1411	1323	1004	746	543	388	274	-2.5	1.17	0.0	-7.6	-24.2	-53.2	0.234
	RD223RA	28919	62	Core-Lokt Ultra Bonded PSP	7½	1.5	200	3260	2841	2458	2104	1784	1501	1465	1112	832	610	438	310	-1.5	1.4	0.0	-7.2	-22.4	-48.6	0.234
	R223R6	22106	62	Open Tip Match	7½	2.5	200	3025	2572	2162	1792	1471	1218	1260	911	644	442	298	204	-2.5	1.4	0.0	-8.9	-28.9	-65.0	0.205
	RM223R1	27680	69	MatchKing BTHP HHH	7½	2.5	200	3000	2720	2456	2208	1974	1756	1379	1133	924	747	597	472	-2.5	1.1	0.0	-6.9	-21.1	-44.0	0.336
	RM223R3	27686	77	MatchKing BTHP HHH	7½	2.5	200	2790	2539	2309	2081	1871	1676	1379	1102	907	740	598	480	-2.5	1.5	0.0	-8.0	-24.0	-50.2	0.382
22-250 Remington	L22503	23750	45	Jacketed Hollow Point	9½	1.5	200	4000	3340	2770	2267	1820	1441	1598	1114	767	513	331	207	-1.5	0.8	0.0	-5.4	-17.7	-40.7	0.173
	L22504	23813	50	Jacketed Hollow Point	9½	1.5	200	3820	3245	2729	2286	1878	1523	1620	1169	833	580	392	258	-1.5	0.9	0.0	-5.6	-18.0	-40.3	0.192
	PRA2250RB	29186	50	AccuTip-V Boat Tail	9½	1.5	200	3800	3339	2925	2546	2198	1878	1603	1238	949	720	536	392	-1.5	0.8	0.0	-4.9	-15.2	-32.8	0.242
	H2P2250R1	27726	50	Barnes TSM FB	9½	1.5	200	3830	3267	2771	2326	1924	1570	1629	1185	853	601	411	274	-1.5	0.9	0.0	-5.5	-17.5	-39.0	0.197
	R22501	21311	55	Pointed Soft Point	9½	1.5	200	3680	3136	2654	2220	1829	1490	1654	1201	860	602	409	271	-1.5	1.0	0.0	-6.0	-19.2	-42.9	0.197
224 Valkyrie	L224VLK	21203	75	Full Metal Jacket	7½	1.5	100	3000	2763	2539	2325	2122	1929	1499	1272	1073	900	750	619	-1.5	0.0	-3.1	-11.5	—	—	0.400
	RM224VLK	21201	90	MatchKing OTM	7½	1.5	100	2700	2542	2388	2241	2098	1961	1457	1291	1140	1003	880	768	-1.5	0.0	-3.8	-13.9	—	—	0.274
	PRA224VLK	21202	60	AccuTip-V	7½	1.5	100	3300	2923	2577	2255	1958	1687	1451	1138	884	678	511	379	-1.5	0.0	-2.6	-10.4	—	—	0.265
6mm Remington	R6MM4	29051	100	Core-Lokt Pointed Soft Point	9½	1.5	200	3100	2829	2574	2333	2104	1890	2133	1777	1471	1208	983	793	-1.5	1.4	0.0	-6.7	-19.8	-40.8	0.356
6mm Creedmoor	RM6CRD	29001	107	MatchKing OTM	9½	1.5	200	3000	2826	2658	2497	2341	2191	2138	1897	1679	1481	1302	1140	-1.5	1.4	0.0	-6.4	-18.2	-36.6	0.547
	R6CM01	29049	100	Core-Lokt Pointed Soft Point	9½	1.5	200	3000	2656	2337	2041	1768	1524	1999	1567	1214	925	695	516	-1.5	1.7	0.0	-8.1	-24.7	-52.4	0.272
243 Win	PRA243WB	29194	75	AccuTip-V Boat Tail	9½	1.5	200	3375	3065	2775	2504	2248	2008	1897	1564	1282	1044	842	671	-1.5	1.1	0.0	-5.6	-16.8	-35.0	0.330
	R243W1	27800	80	Pointed Soft Point	9½	1.5	200	3350	2955	2593	2258	1949	—	—	1993	1550	1194	906	675	-1.5	1.3	0.0	-6.5	-19.8	—	0.255
	PRSC243WA	29320	90	Swift Scirocco Bonded	9½	1.5	200	3120	2871	2635	2411	2199	1997	1946	1647	1388	1162	966	797	-1.5	1.4	0.0	-6.4	-18.7	-38.4	0.390
	RT243WA	29015	95	Core-Lokt Tipped	9½	1.5	200	3140	2866	2608	2364	2134	1916	2189	1823	1510	1241	1011	815	-1.5	1.4	0.0	-6.5	-19.2	-39.7	0.355
	PRH243WC	28923	100	Core-Lokt Ultra Bonded PSP	9½	1.5	200	3120	2860	2614	2362	2134	1912	2182	1817	1518	1260	1037	847	-1.5	1.4	0.0	-6.5	-19.1	-38.2	0.373
	R243W3	27802	100	Core-Lokt Pointed Soft Point	9½	1.5	200	2960	2697	2449	2215	1993	1786	1945	1615	1332	1089	882	708	-1.5	1.7	0.0	-7.5	-22.0	-45.4	0.356
25-06 Remington	R25062	21507	100	Core-Lokt Pointed Soft Point	9½	1.5	200	3230	2892	2579	2286	2013	1760	2316	1857	1476	1160	899	688	-1.5	1.3	0.0	-6.6	-19.9	-41.8	0.292
	R25063	21515	120	Core-Lokt Pointed Soft Point	9½	1.5	200	2990	2730	2484	2252	2032	1825	2382	1985	1644	1351	1100	887	-1.5	1.6	0.0	-7.2	-21.4	-43.9	0.362
25-20 Win	R25202	28364	86	Core-Lokt Pointed Soft Point	6½	0.9	100	1460	1194	1030	—	—	—	407	272	202	—	—	—	-0.9	0.0	-23.5	—	—	—	0.190
250 Savage	R250SV	29077	100	Core-Lokt Pointed Soft Point	9½	1.5	200	2820	2504	2209	1935															

CENTERFIRE RIFLE BALLISTICS (CONT.)

444 MARLIN - 450 BUSHMASTER

CARTRIDGE	INDEX/EDI NO.	RAMAC	WT (GR)	BULLET STYLE	PRIMER NO.	SIGHT HEIGHT (INCH-ES)	ZERO (YARDS)					VELOCITY (FPS)					ENERGY (FT-LB)					TRAJECTORY (INCHES)					BALLISTIC COEFFICIENT
							MUZZLE	100	200	300	400	500	MUZZLE	100	200	300	400	500	MUZZLE	100	200	300	400	500	MUZZLE	100	
444 Marlin	R444M	29475	240	Core-Lokt Soft Point	9½	0.9	100	2350	1816	1376	1087	—	—	2942	1758	1009	630	—	—	-0.9	0.0	-10.0	-38.5	—	—	0.146	
45-70 Gov't	R4570G	29473	405	Core-Lokt Soft Point †	9½	0.9	100	1330	1169	1056	978	—	—	1590	1228	1002	860	—	—	-0.9	0.0	-24.5	-80.2	—	—	0.281	
	R4570G1	21459	405	Core-Lokt Soft Point ††	9½	0.9	100	1600	1385	1210	1084	—	—	2303	1726	1318	1057	—	—	-0.9	0.0	-17.3	-58.3	—	—	0.281	
	R4570L1	21463	300	Semi-Jacketed Hollow Point††	9½	0.9	100	1900	1574	1304	1111	—	—	2405	1651	1134	823	—	—	-0.9	0.0	-13.3	-47.1	—	—	0.213	
450 Bushmaster	R450B1	27941	260	Core-Lokt Pointed Soft Point	7½	2.5	100	2040	1621	1285	1066	—	—	2402	1517	952	656	—	—	-1.5	0.0	-12.0	-45.2	—	—	0.172	
	L450B1M	23661	260	Full Metal Jacket	7½	2.5	100	2040	1651	1330	1106	—	—	2402	1574	1021	706	—	—	-1.5	0.0	-11.5	-42.7	—	—	0.186	
	PRA450B1	27943	260	AccuTip	7½	2.5	100	2180	1664	1261	1026	—	—	2743	1598	918	608	—	—	-2.5	0.0	-10.4	-42.8	—	—	0.144	

Note: These ballistics are developed using a test barrel length of 24" except those for 30 carbine, 7.62 x 39 and 44 Remington Magnum which are 20" test barrels, 300 AAC Blackout which is a 16" test barrel and 300 rum, 2772Z, which is a 26" barrel. Specifications are nominal ballistics figures established in test barrels. Individual rifles may vary from test barrel results. "Zero" indicates yardage at which rifle was sighted in. *Ramac 27699 and 27700 require 1.9" twist rate or faster barrel.

- PREMIER ACCUTIP (Page 21)
- PREMIER MATCH (Page 22)
- CORE-LOKT (Page 25)
- UMC (Page 31)
- PREMIER SCIROCCO (Page 19)
- CORE-LOKT TIPPED (Page 17)
- SUBSONIC RIFLE (Page 29)
- 360 BUCKHAMMER (Page 11)
- PREMIER LONG RANGE (Page 15)
- HIGH PERFORMANCE RIFLE (Page 27)

MUZZLELOADER BALLISTICS

50 CALIBER

CARTRIDGE	INDEX/EDI NO.	RAMAC	WT (GR)	BULLET STYLE	SIGHT HEIGHT (INCHES)	VELOCITY (FPS)					ENERGY (FT-LB)					TRAJECTORY (INCHES)					BALLISTIC COEFFICIENT			
						MUZZLE	50	100	150	200	300	MUZZLE	50	100	150	200	300	MUZZLE	50	100		150	200	300
50 Caliber	RBLMR2A	30610	250	AccuTip FB	1.5	2400	2188	1987	1797	1621	1319	3198	2658	2191	1793	1459	966	-1.5	0.09	1.49	0.0	-4.28	-23.57	0.195

- PREMIER ACCUTIP (Page 21)

SHOTSHELL

PREMIER TSS TURKEY - NITRO MAGNUM

PRODUCT NAME	INDEX/EDI NO.	RAMAC	GAUGE	LENGTH (IN)	DRAM EQUIV.	VELOCITY	OZ. OF SHOT	SHOT SIZE	
Premier TSS Turkey	TSS10359	28033	10	3.5"	N/A	1050	2 1/2	9	
	TSS1237	28043	12	3"	N/A	1200	1 3/4	7	
	TSS1239	28045	12	3"	N/A	1200	1 3/4	9	
	TSS1237A	28086	12	3"	N/A	1000	2	7	
	TSS1239A	28087	12	3"	N/A	1000	2	9	
	TSS12357	28089	12	3.5"	N/A	1100	2 1/4	7	
	TSS12359	28091	12	3.5"	N/A	1100	2 1/4	9	
	TSS2037	28063	20	3"	N/A	1100	1 1/2	7	
	TSS2039	28065	20	3"	N/A	1100	1 1/2	9	
	TSS2037A	28074	20	3"	N/A	1000	1 5/8	7	
	TSS2039A	28078	20	3"	N/A	1000	1 5/8	9	
	TSS41039	28069	410	3"	N/A	1100	13/16	9	
	Premier High Velocity	PHV12M4A	28029	12	3"	N/A	1300	1-3/4	4
		PHV12M5A	28031	12	3"	N/A	1300	1-3/4	5
		PHV1235M4A	28039	12	3-1/2"	N/A	1300	2	4
Premier Magnum Turkey	PHV1235M5A	28041	12	3-1/2"	N/A	1300	2	5	
	PHV20M5A	20119	20	3"	N/A	1300	1 1/8	5	
	P10HMA4	24395	10	3-1/2"	N/A	1210	2-1/4	4	
P12XHMA4	26801	12	3"	N/A	1175	2	4		
P12XHMA5A	26803	12	3"	N/A	1175	2	5		
P12XHMA6	26805	12	3"	N/A	1175	2	6		
P1235MA4	26833	12	3-1/2"	N/A	1150	2-1/4	4		
P20XHMA6	26859	20	3"	N/A	1185	1-1/4	6		
Nitro Turkey	NT12HAA	26669	12	3"	N/A	1210	1-7/8	4	
	NT12H5A	26671	12	3"	N/A	1210	1-7/8	5	
	NT12H6A	26673	12	3"	N/A	1210	1-7/8	6	
	NT12354A	26707	12	3-1/2"	N/A	1300	2	4	
	NT12355A	26709	12	3-1/2"	N/A	1300	2	5	
	NT12356A	26711	12	3-1/2"	N/A	1300	2	6	
Nitro Pheasant	NP20M5A	26731	20	3"	N/A	1185	1-1/4	5	
	NP124	28620	12	2-3/4"	N/A	1400	1-1/4	4	
	NP125	28622	12	2-3/4"	N/A	1400	1-1/4	5	
	NP126	28624	12	2-3/4"	N/A	1400	1-1/4	6	
	NP12M4	28632	12	2-3/4"	N/A	1300	1-3/8	4	
	NP12M5	28634	12	2-3/4"	N/A	1300	1-3/8	5	
	NP12M6	28636	12	2-3/4"	N/A	1300	1-3/8	6	
	NP205	28646	20	2-3/4"	N/A	1300	1	5	
	NP206	28648	20	2-3/4"	N/A	1300	1	6	
	NP20M5	28651	20	3"	N/A	1185	1-1/4	5	
	NP20M6	28653	20	3"	N/A	1185	1-1/4	6	
	Nitro Magnum	NM12S2	26676	12	2-3/4"	N/A	1260	1-1/2	2
NM12S4		26678	12	2-3/4"	N/A	1260	1-1/2	4	
NM124		26674	12	3"	N/A	1280	1-5/8	4	
NM126		20376	12	3"	N/A	1280	1-5/8	6	
NM12H2		26682	12	3"	N/A	1210	1-7/8	2	
NM12H4		26684	12	3"	N/A	1210	1-7/8	4	
NM12H6		26685	12	3"	N/A	1210	1-7/8	6	
NM20S4		20664	20	2-3/4"	N/A	1175	1-1/8	4	
NM20S6		20666	20	2-3/4"	N/A	1175	1-1/8	6	
NM20H4		20672	20	3"	N/A	1185	1-1/4	4	
NM20H6		20674	20	3"	N/A	1185	1-1/4	6	

EXPRESS XLR EXTRA LONG RANGE - EXPRESS MAGNUM BUCKSHOT

PRODUCT NAME	INDEX/EDI NO.	RAMAC	GAUGE	LENGTH (IN)	DRAM EQUIV.	VELOCITY	OZ. OF SHOT	SHOT SIZE
Express XLR Extra Long Range	SP122	20143	12	2-3/4"	N/A	1330	1-1/4	2
	SP124	20145	12	2-3/4"	N/A	1330	1-1/4	4
	SP125	20147	12	2-3/4"	N/A	1330	1-1/4	5
	SP126	20149	12	2-3/4"	N/A	1330	1-1/4	6
	SP1275	20151	12	2-3/4"	N/A	1330	1-1/4	7-1/2
	NEHV125	20167	12	2-3/4"	N/A	1450	1-1/8	5
	NEHV126	20168	12	2-3/4"	N/A	1450	1-1/8	6
	NEHV1275	20169	12	2-3/4"	N/A	1450	1-1/8	7-1/2
	SP164	28003	16	2-3/4"	N/A	1295	1-1/8	4
	SP166	28007	16	2-3/4"	N/A	1295	1-1/8	6
	SP1675	28009	16	2-3/4"	N/A	1295	1-1/8	7-1/2
	SP204	20333	20	2-3/4"	N/A	1220	1	4
	SP205	20335	20	2-3/4"	N/A	1220	1	5
	SP206	20337	20	2-3/4"	N/A	1220	1	6
	SP2075	20339	20	2-3/4"	N/A	1220	1	7-1/2
Heavy Dove Loads	NEHV206	20181	20	2-3/4"	N/A	1350	7/8	6
	NEHV2075	20183	20	2-3/4"	N/A	1350	7/8	7-1/2
	SP286	28047	28	2-3/4"	N/A	1295	3/4	6
	SP2875	28049	28	2-3/4"	N/A	1295	3/4	7-1/2
	SP4104	20743	410	2-1/2"	N/A	1250	1/2	4
	SP4106	20745	410	2-1/2"	N/A	1250	1/2	6
	SP41075	20747	410	2-1/2"	N/A	1250	1/2	7-1/2
	SP4134	20771	410	3"	N/A	1135	11/16	4
	SP4136	20775	410	3"	N/A	1135	11/16	6
	SP41375	20777	410	3"	N/A	1135	11/16	7-1/2
	RHD1275	28755	12	2-3/4"	N/A	1255	1-1/8	7-1/2
	RHD128	28757	12	2-3/4"	N/A	1255	1-1/8	8
	RHD2075	28777	20	2-3/4"	N/A	1165	1	7-1/2
	RHD208	28779	20	2-3/4"	N/A	1165	1	8
	Pheasant Loads	PL124	20046	12	2-3/4"	N/A	1330	1-1/4
PL125		20024	12	2-3/4"	N/A	1330	1-1/4	5
PL126		20048	12	2-3/4"	N/A	1330	1-1/4	6
PL127		20050	12	2-3/4"	N/A	1330	1-1/4	7-1/2
PL166		20054	16	2-3/4"	N/A	1295	1-1/8	6
PL204		20058	20	2-3/4"	N/A	1220	1	4
PL205		20018	20	2-3/4"	N/A	1220	1	5
PL206		20060	20	2-3/4"	N/A	1220	1	6
GL126		20028	12	2-3/4"	N/A	1290	1	6
GL127		20030	12	2-3/4"	N/A	1290	1	7-1/2
GL128		20032	12	2-3/4"	N/A	1290	1	8
GL166		20034	16	2-3/4"	N/A	1200	1	6
GL167	20036	16	2-3/4"	N/A	1200	1	7-1/2	
GL168	20038	16	2-3/4"	N/A	1200	1	8	
GL206	20040	20	2-3/4"	N/A	1225	7/8	6	
GL207	20042	20	2-3/4"	N/A	1225	7/8	7-1/2	
GL208	20							

SS SLUG BALLISTICS

SLUGS																			
GAUGE / BORE	INDEX/ EDI NO.	RAMAC	LENGTH (INCHES)	WEIGHT	SLUG STYLE	SIGHT HEIGHT (INCHES)	VELOCITY (FPS)			ENERGY (FT-LB)			TRAJECTORY (INCHES)			BALLISTIC COEFFICIENT			
							MUZZLE	50	100	MUZZLE	50	100	50	100	150				
410	SP41RS	20618	2 1/2	1/2 oz.	Rifled Slug	1.5	1830	1335	1040	654	348	211	0.0	-3.5	--	0.064			
16	SP16RS	20614	2 3/4	1/2 oz.	Rifled Slug HP	1.5	1600	1175	965	1989	1072	724	0.0	-4.8	--	0.063			
20	PR20	20496	2 3/4	260 gr.	Power Port Tip	1.5	1850	1610	1399	1976	1496	1130	0.0	-1.9	-8.2	0.144			
	PR20M	20498	3	260 gr.	Power Port Tip	1.5	1900	1655	1438	2084	1581	1193	2.5	3.4	0.0	0.144			
12	SPHV20RS	28608	2 3/4	1/2 oz.	Rifled Slug	1.5	1800	1300	1040	1037	1575	848	0.0	-2.2	--	0.130			
	PR20CS	20824	2 3/4	1/2 oz.	Copper Solid HP	1.5	1500	1300	1240	1444	1187	986	0.0	-3.2	--	0.206			
	SP20RS	20616	2 3/4	1/2 oz.	Rifled Slug HP	1.5	1580	1240	1034	1513	931	648	0.0	-4.2	--	0.081			
	PR12CS	20716	2 3/4	1 oz.	Copper Solid HP	1.5	1450	1320	1208	2040	1689	1417	0.0	-3.5	-12.9	0.211			
	PR12MCS	20718	3	1 oz.	Copper Solid HP	1.5	1550	1408	1283	2331	1923	1597	0.0	-2.9	-11.1	0.211			
	PR12	20727	2 3/4	385 Gr.	Power Port Tip	1.5	1850	1611	1401	2925	2218	1677	2.7	3.6	0.0	0.145			
	PR12M	20731	3	385 gr.	Power Port Tip	1.5	1900	1656	1439	3086	2344	1771	2.5	3.4	0.0	0.145			
	SPHV12RS	28600	2 3/4	1/2 oz.	Rifled Slug	1.5	1800	1252	978	2751	1517	813	0.0	-4.1	--	0.055			
	SPHV12MRS	28604	3	1/2 oz.	Rifled Slug	1.5	1875	1302	998	2989	1442	847	0.0	-3.7	--	0.055			
	RL12RS	20290	2 3/4	1 oz.	Rifled Slug	1.5	1200	988	873	1397	948	739	0.0	-7.4	--	0.068			
	SP12RS	20300	2 3/4	1 oz.	Rifled Slug	1.5	1560	1203	1004	2361	1403	976	0.0	-4.5	--	0.075			
	S12SRS	20302	2 3/4	1 oz.	Rifled Slug	1.5	1680	1285	1045	2378	1605	1059	0.0	-3.8	--	0.075			
S12MRS	20270	2 3/4	1 oz.	Rifled Slug	1.5	1760	1345	1075	3005	1753	1121	0.0	-3.4	--	0.075				

*0.0 indicates yardage at which shotgun was sighted in.

PREMIER ACCUTIP SLUG (Page 55)
SLUGGER (Page 56)
SLUGGER HIGH VELOCITY (Page 56)
PREMIER COPPER SOLID

HANDGUN BALLISTICS

5.7X28MM - 38 SHORT COLT																			
CARTRIDGE	INDEX/ EDI NO.	RAMAC	WT (GR)	BULLET STYLE	PRIMER NO.	SIGHT HEIGHT (INCHES)	ZERO (YARDS)	VELOCITY (FPS)			ENERGY (FT-LB)			TRAJECTORY (INCHES)			BARREL LENGTH	BALLISTIC COEFFICIENT	
								MUZZLE	25	50	MUZZLE	25	50	25	50	100			
5.7x28mm	L5728MM1	R23866	40	Full Metal Jacket		0.9	25	1655	1514	1387	243	204	171	0.0	-0.0	4.8			
25 Auto (6.35mm Browning)	L25AP	23716	50	Full Metal Jacket	1 1/2	0.9	25	760	733	707	64	60	56	0.0	-3.2	2	0.088		
30 Super Carry	L30SC	R20015	100	Full Metal Jacket	550	0.9	25	1250	1185	1129	347	312	283	-0.7	-2.9	4			
32 S&W	RTP30SC	R20019	100	Jacketed Hollow Point	205	0.9	25	1235	1170	1115	339	304	276	-0.7	-3	4			
	RPW32SW	22206	88	Lead Round Nose	1 1/2	0.9	25	680	662	644	90	86	81	0.0	-4.1	3	0.114		
32 S&W Long	RPW32SWL	22210	98	Lead Round Nose	1 1/2	0.9	25	705	687	669	108	103	97	0.0	-3.7	4	0.119		
32 Auto (7.65mm Browning)	L32AP	23704	71	Full Metal Jacket	1 1/2	0.9	25	905	879	854	129	122	115	0.0	-1.9	4	0.131		
32 H&R Mag	RTP32HR	R20017	85	Jacketed Hollow Point	5 1/2	0.9	25	1120	1067	1023	235	215	195	0.0	1.0	5	0.100		
327 Federal Magnum	RPW32HR	20021	95	Lead Semi-Wadcutter	1 1/2	0.9	25	1020	970	928	220	200	180	0.0	1.4	5	0.14		
	L327	R20016	100	Jacketed Soft Point	5 1/2	0.9	25	1500	1408	1324	500	440	389	-0.5	-2.1	4			
357 Mag**	RTP357M7A	22237	110	Semi-Jacketed Hollow Point	5 1/2	0.9	25	1295	1182	1093	410	341	292	0.0	-0.7	4**	0.098		
	HD357MA	28920	125	Brass Jacketed Hollow Point	5 1/2	0.9	25	1220	1095	1009	413	333	283	0.0	-0.9	4**	0.073		
357 Sig	RTP357M1A	22227	125	Semi-Jacketed Hollow Point	5 1/2	0.9	25	1450	1338	1240	583	497	427	0.0	-0.3	4**	0.125		
	L357M12	23738	125	Jacketed Soft Point	5 1/2	0.9	25	1450	1338	1240	583	497	427	0.0	-0.3	4**	0.125		
	RTP357M2A	22231	158	Semi-Jacketed Hollow Point	5 1/2	0.9	25	1235	1164	1104	535	475	428	0.0	-0.7	4**	0.145		
	RTP357M3A	22233	158	Soft Point	5 1/2	0.9	25	1235	1164	1104	535	475	428	0.0	-0.7	4**	0.145		
	RPW357M5	22223	158	Lead Semi-Wadcutter	5 1/2	0.9	25	1235	1164	1104	535	475	428	0.0	-0.7	4**	0.145		
	RTP357M10A	22239	180	Semi-Jacketed Hollow Point	5 1/2	0.9	25	1145	1095	1052	524	479	443	0.0	-0.9	4**	0.163		
	GSB357SBB	29407	125	Bonded Brass Jacketed Hollow Point	5 1/2	0.9	25	1350	1245	1157	506	430	372	0.0	0	4			
	L357S1	23734	125	Full Metal Jacket	5 1/2	0.9	25	1350	1238	1146	506	425	365	0.0	-0.5	4	0.110		
	L357S2	23692	125	Jacketed Hollow Point	5 1/2	0.9	25	1350	1245	1157	506	430	372	0.0	-0.5	4	0.118		
	RTP9MM1A	28288	115	Jacketed Hollow Point	1 1/2	0.9	25	1145	1092	1048	335	304	280	0.0	-0.9	4	0.155		
	RTP9MM6A	28293	115	Jacketed Hollow Point +P ‡	1 1/2	0.9	25	1250	1175	1113	399	353	316	0.0	-0.7	4	0.143		
	L9MM1B	23753	115	Jacketed Hollow Point	1 1/2	0.9	25	1145	1092	1048	335	304	280	0.0	-0.9	4	0.155		
L9MM3	23728	115	Full Metal Jacket	1 1/2	0.9	25	1145	1092	1048	335	304	280	0.0	-0.9	4	0.155			
LL9MM11	23785	115	Flat Nose Enclosed Base	1 1/2	0.9	25	1145	1092	1048	335	304	280	0.0	-0.9	4	0.155			
LL9MM2	23811	124	Flat Nose Enclosed Base	1 1/2	0.9	25	1110	1069	1031	339	314	292	0.0	-1.0	4	0.173			
GSB9MMDB	29341	124	Bonded Brass Jacketed Hollow Point +P ‡	1 1/2	0.9	25	1125	1074	1031	348	317	293	0.0	-1.0	4	0.149			
HD9MMBN	28935	124	Brass Jacketed Hollow Point	1 1/2	0.9	25	1125	1074	1031	348	317	293	0.0	-1.0	4	0.149			
HD9MMD	28948	124	Brass Jacketed Hollow Point +P ‡	1 1/2	0.9	25	1180	1131	1089	383	352	326	0.0	-0.8	4	0.189			
CHD9MMBN	28963	124	Brass Jacketed Hollow Point	1 1/2	0.9	25	1020	992	967	286	271	258	0.0	-1.3	2.7	0.189			
L9MM2	23718	124	Full Metal Jacket	1 1/2	0.9	25	1110	1069	1031	339	314	292	0.0	-1.0	4	0.173			
GSB9MMC8	29343	147	Bonded Brass Jacketed Hollow Point	1 1/2	0.9	25	990	964	941	320	304	289	0.0	-1.4	4	0.182			
RTP9MM8A	28295	147	Jacketed Hollow Point	1 1/2	0.9	25	990	965	941	320	304	289	0.0	-1.4	4	0.182			
HD9MMC	28946	147	Brass Jacketed Hollow Point	1 1/2	0.9	25	990	964	941	320	304	289	0.0	-1.4	4	0.182			
L9MM9	23732	147	Full Metal Jacket	1 1/2	0.9	25	990	965	941	320	304	289	0.0	-1.4	4	0.182			
S9MM9	28435	147	Flat Nose Enclosed Base	1 1/2	0.9	25	945	923	903	292	278	266	0.0	-1.7	4	0.183			
LL9MM9	23749	147	Flat Nose Enclosed Base	1 1/2	0.9	25	990	965	941	320	304	289	0.0	-1.4	4	0.182			
T9MM3L	R27778	115	Full Metal Jacket	1 1/2	0.9	25	1145	1092	1048	335	304	280	0.0	-0.9	4	0.155			
T9MM3A	R23975	115	Full Metal Jacket	1 1/2	0.9	25	1145	1092	1048	335	304	280	0.0	-0.9	4	0.155			
T9MM3B	R23972	115	Full Metal Jacket	1 1/2	0.9	25	1145	1092	1048	335	304	280	0.0	-0.9	4	0.155			
T9MM3CL	R27779	115	Full Metal Jacket	1 1/2	0.9	25	1145	1092	1048	335	304	280	0.0	-0.9	4	0.155			
T9MM2L	R27780	124	Full Metal Jacket	1 1/2	0.9	25	1110	1069	1031	339	314	292	0.0	-1.0	4	0.173			
T40SW3L	21781	180	Full Metal Jacket	1 1/2	0.9	25	990	964	940	392	371	353	0.0	-1.4	4	0.178			
380 Auto	RTP380A1A	22248	88	Jacketed Hollow Point	1 1/2	0.9	25	990	954	923	191	178	166	0.0	-1.5	4	0.13		
	L380AP	23720	95	Full Metal Jacket	1 1/2	0.9	25	955	904	860	192	172	156	0.0	-1.8	4	0.077		
	LL380AP2	23805	95	Flat Nose Enclosed Base	1 1/2	0.9	25	955	904	860	192	172	156	0.0	-1.8	4	0.077		
	HD380BN	28937	102	Brass Jacketed Hollow Point	1 1/2	0.9	25	940	920	901	200	192	184	0.0	-1.7	4	0.195		
	CHD380BN	28964	102	Brass Jacketed Hollow Point	1 1/2	0.9	25	815	801	787	265	256	247	0.0	-2.5	2.7	0.195		
	L38SUP	237																	